Index of Authors, Volume 9

Abramson, DC, 442
Adams, S, 170
Afshar, M, 379
Agrawal, A, 258
Akama, M, 293
Aldegheri, G, 482
Aleixo, L, 78
Altmaier, EM, 629
Amar, D, 623
Andrish, J, 542
Angst, MS, 462
Antognini, JF, 1
Arnold, JC, 261
Artru, AA, 643
Avramov, MN, 148
Azad, SS, 532
Backlund, M, 30
Balch, DR, 270
Balestrieri, P, 358
Barak, M, 351
Barbier, J, 189
Barker, SJ, 179, 184
Barone, CM, 280
Barrocas, AM, 403
Batenhorst, R, 532
Baughman, VL, 394
Beach, TP, 501
Behnia, R, 248
Ben-David, B, 345, 527
Benson, D, 510
Berry, J, 130
Berti, M, 482
Bertolet, BD, 78
Bevacqua, BK, 420
Bevan, DR, 36S
Bikhazi, GB, 403
Biro, P, 604
Bishop, MJ, 415
Black, PR, 520
Bodian, CA, 446, 614
Bolwell, BJ, 345
Borgeat, A, 650
Bovill, JG, 3S
Bradford, CN, 446, 611
Brandom, BW, 576
Breinbauer, B, 608
Brimacombe, JR, 113, 432
Brindis, C, 159
Brock-Utne, JG, 462
Brown, CS, 78
Brown, J, 358
Brown, MM, 239
Brown, RA, 365
Brown, RE, Jr, 103
Brummer, G, 42
Brull, SJ, 48, 331, 358
Brum, JM, 52
Brunne, B, 42
Burton, BK, 668
Busuttil, RW, 507
Butterworth, JF, IV; 317
Buxbaum, J, 564
Bynum, L, 358
Calalang, CC, 493
Cantees, KK, 159
Cantos, EM, Jr, 26
Casati, A, 482
Chabin, M, 189
Chapados, R, 97
Chavez, A, 478
Cheek, TG, 564
Cherian, MN, 586
Chhibber, A, 493
Chou, AK, 424
Chung, FF, 97
Clark, O, 398
Coca, I, 208
Cohen, S, 623
Cohen, SP, 170
Cozine, K, 664
Cran, WL, 88
Critchley, LAH, 672
Croughwell, ND, 312
Csete, M, 507
Cullen, DJ, 349
Curley, SA, 220
Currier, DS, 420
Datta, 109
Dauphin, A, 200
Davidson, PJ, 270
Davila-Roman, VG, 388
De Riso, BM, 159
Deepika, K, 403
DeWitt, L, 569
D'Hollander, A, 365
Diemunsch, P, 365, 658
Dilger, J, 542
Dougherty, TB, 220
Downs, JB, 355
Eappen, S, 109
Eisenkraft, JB, 446
Eklund, A, 21
Elliott, WG, 551
Entholzner, E, 608
Erkola, O, 125
Ernst, M, 61
Escorcia, E, 228
Euliano, TY, 78
Eyrich, K, 42
Fanelli, G, 482
Fernandes, LA, 48
Fernandez-Liesa, JI, 208
Ferrer, MJR, 280
Fibuch, EE, 8
Fisher, QA, 275
Fluter, E, 451
Fonseca, JJ, 403
Fox, LG, 261
From, RP, 629
Fu, W, 653
Fukusaki, M, 321
Fuller, HD, 200
Fusciardi, J, 189
Gaiser, RR, 564
Gaitini, L, 345, 527
Gan, TJ, 18S
Garcia-Pedrajas, F, 208
Garg, SA, 204
Gauthier, M, 97
Gautschi, K, 143
Gawey, BJ, 261
Gee, S, 432
Geldner, P, 668
Ghouri, AF, 179, 184
Ginsberg, B, 18S
Glass, PSA, 1S, 18S
Goldberg, ME, 379
Gorbatenko-Roth, KG, 629
Gratz, I, 379
Gravenstein, D, 591
Gravenstein, N, 233
Green, W, 374
Griffith, KE, 204
Grocott, HP, 312
Gronert, BJ, 576
Gronert, GA, 1
Grum, DR, 130
Grunfeld, L, 614
Guarnieri, DM, 299
Guedj, P, 431
Gunnerson, HB, 159
Gupta, A, 21
Gupta, S, 258
Guralnik, L, 351
Gurman, G, 643
Gutsche, BB, 564
Gutstein, HB, 213
Gyermek, L, 171
Hadzic, A, 618
Hagay, ZJ, 87
Hahne, WF, 365
Halimi, P, 431
Hamilton, DL, 15
Hankerson, JG, 61
Hannallah, RS, 569
Hara, T, 321
Hargasser, S, 608
Hartmannsgruber, MWB, 233, 496

Journal of Clinical Anesthesia 9:681–683, 1997

© 1997 by Elsevier Science Inc.

655 Avenue of the Americas, New York, NY 10010

0952-8180/97/$17.00
PII S0952-8180(97)00241-9

Harvey, A, 442
Hashimoto, Y, 293
Hass, I, 42
Hedge, J, 564
Hein, HAT, 261, 611
Helfaer, MA, 69
Hellman, CL, 261
Hendrick, SW, 285
Henson, LC, 437
Hernandez-Conte, A, 467
Hill, D, 358
Hinkle, AJ, 521
Hipp, R, 608
Hodges, M, 355
Hofstadter, MB, 467
Hogue, CW, Jr; 388
Hoka, S, 457
Holley, HS, 248
Houweling, PL, 658
Howell, S, 18S
Howie, MB, 1S
Huntington, J, 374
Husain, MM, 653
Hynson, JM, 398
Ichinose, F, 118
Ilkin, HM, 159
Ingrand, P, 189
Insinga, F, 379
Jackson, A, 358
Jain, U, 487
James, RL, 551
Janicke, U, 409
Jellish, WS, 36, 451
Jimenez, DF, 280
Johnson, JO, 383
Johnson, MD, 433
Johnstone, RE, 93
Jones, RL, 91
Joshi, GP, 204, 261
Joyce, TH, 564
Kain, ZN, 467
Kajimoto, Y, 30
Kato, M, 293
Katz, JA, 398
Keidan, I, 591
Kelly, D, 331
Kempen, PM, 194, 548
Kenaan, CA, 403
Kern, SE, 383
Kissin, I, 14S
Kisterman, JP, (8)
Knox, JWD, 97
Kobayashi, I, 321
Koch, R, 228
Kolano, JW, 493
Kollender, Y, 643
Koorn, R, 618
Kosarussavadi, B, 467
Kovac, AL, 532
Kraimps, JL, 189
Kubota, H, 433
Kubota, Y, 433
Kwiatkowski, D, 650
Kymer, PJ, 637
Lacoste, L, 189
Lai, E, 179, 184
Lam, AM, 643
Langevin, PB, 78
Larijani, G, 379
Lauretti, CR, 289
Lauretti, GR, 289, 473
Lauretti-Filho, A, 289
Laurito, CE, 341, 668
Lawhorn, CD, 103, 637
Layon, AJ, 514, 525
Le Lorier, J, 97
Lebenbom-Mansour, MH, 285
Lee, HT, 664
Lennmarken, C, 21
Lensch, D, 130
Leonetti, JP, 451
Liang, BA, 341, 597, 671
Lesser, JB, 618
Lin, CY, 607
Lind, S, 21
Lindgren, L, 30, 582
Lloyd, ME, 576
Lobato, EB, 155
Loudermilk, E, 496
Lowry, E, 312
Lubarsky, DA, 603
Lugani, D, 482
Lundberg, J, 251
Lurie, S, 87
Mackey, SC, 462
Maekawa, T, 321
Maguire, D, 589
Malviya, S, 374
Maneatis, TJ, 358
Manning, JM, Jr, 88
Marchbanks, CR, 130
Markovits, R, 351
Mateo, C, 280
Mathews, MP, 586
Matsukawa, S, 293
Mattos, AL, 473
Maurer, W, 345
Mayes, LC, 467
McKenzie, R, 15
McKinley, AC, 88
McNeal, S, 532
McQuillan, R, 8
Meiser, B, 409
Meller, I, 643
Meretoja, OA, 125
Mielke, L, 608
Mikolajek, JA, 220
Milad, M, 248
Millington, WR, 8
Mims, G, 551
Mingus, ML, 446
Miyabe, M, 236
Moe, KS, 604
Mohandas, K, 26
Monedero, P, 208
Moore, LE, 251
Moreb, JS, 514
Morell, RC, 317
Morgan, PJ, 97
Morita, S, 118
Mulcare, R, 618
Munro, HM, 213
Murakami, M, 293
Myers, TP, 608
Nakata, Y, 118
Navarro, RM, 394
Nave, S, 365
Neelakanta, G, 507
Nelson, JM, 317
Nesbitt, EH, 499
Newman, MF, 312
Niimi, Y, 118
Noles, DM, 520
Norris, MC, 299
Norton, P, 194
O'Hara, DA, 358
O'Hara, J, Jr, 138, 542
Okamoto, H, 457
Oppermann, S, 306
Orr, JA, 383
Otto, D, 409
Ousyscher, IE, 643
Owen, MD, 8
Paige, Darcy, 173
Palazzolo, JA, 52
Palmer, JS, 159
Palmon, SC, 251
Panadero, A, 208
Pappas, AL, 520
Parris, WCV, 87
Pasch, T, 143
Patel, RI, 569
Paxton, L, 365
Pearson, KS, (8)
Perng, JS, 424
Péronnet, D, (8)
Persiley, E, 564
Peterfreund, RA, 428
Pfeiffer, M, 409
Philip, BK, 608
Philip, JH, 608
Pivalizza, EG, 442
Porter, WR, 74
Poterack, KA, 266
Prado, WA, 473
Priscu, V, 87
Putman, JM, 611
Pygon, BH, 668
Radjaipour, M, 143
Ramsay, MAE, 261
Ravussin, P, 36
Raymer, KE, 200
Reid, CW, 4
Reiner, CB, 501
Reinhart, DJ, 130
Reis, MP, 473
Reitan, JA, 510
Reves, JG, 312
Reyes de Castro, L, 280
Reynolds, PI, 213
Ribeiro, MP, 52
Riche, H, 36
Rieger, A, 42
Riley, TJ, 15
de los Rios, J, 208
Risley, WP, III, 155
Rockoff, MA, 597
Roizen, MF, 435

Rooke, GA, 415
Rosen, M, 658
Rosenberg, MK, 285
Rosenberg, PH, 30
Rosenblatt, MA, 26, 604, 611
Rosenblatt, WH, 478
Rosow, CE, 27S
Rozenberg, B, 351
Rotondi, AJ, 159
Ruetsch, YA, 650
Rust, M, 608
Ryan, JF, 66
Saegusa, H, 118
Safwat, AM, 510
Salord, F, 36
Sato, S, 236
Savarese, JJ, 328
Schlanger, M, 433
Schmitz, ML, 103
Schoeffler, P, 365
Schoenwald, PK, 602
Scholz, J, 306
Schubert, A, 52, 138
Schulte am Esch, J, 306
Schwann, NM, 589
Scuderi, PE, 551
Segal, S, 109
Seifert, B, 143
Seigne, PW, 559
Setzer, N, 259
Sevarino, FB, 173
Shah, NK, 179, 184
Shanks, CA, 40S
Shapira, Y, 643
Sharma, SK, 243
Shefrin, A, 358
Shirey, R, 103, (8)
Shroff, A, 415
Sidi, A, 591
Sieber, FE, 334
Siewert, M, 374
Siker, D, 228
Silverman, DG, 48, 173, 478
Simhi, E, 576
Simmons, G, 358
Simon, BA, 69
Sinatra, RS, 173
Smith, CM, 589
Smith, I, 148
Smith, RA, 355
Songy, KA, Jr., 514
Sonner, JM, 398
Spahn, DR, 143
Spies, C, 42
Splinter, WM, 4
Sprung, J, 228, 602
Stanton, EB, 200
Starsnic, MA, 299
Steer, P, 532
Stegall, WC, 243
Steinbrook, RA, 559
Steinfath, M, 306
Stewart, FC, 103, 637
Stewart, LT, 88
Stoltzfus, DP, 155, 496
Stoner, JM, 103, 637
Stool, LA, 653
Stout, RG, 48
Striebel, HW, 42
Sukhani, R, 520
Sumikawa, K, 321
Sunder, N, 671
Suzuki, H, 293
Szekely, A, 409
Tait, AR, 213
Tajima, Keiichi, 236
Takahashi, S, 457
Tan, M, 52
Tan, PH, 424
Tarkkila, P, 582
Tassani, P, 409
Tataru, CD, 462
Taylor, AM, 658
Tedeschi, LG, 66
Temeck, BK, 499
Tempelhoff, R, 36
Tenney, D, 478
Tetzlaff, JE, 138, 542
Thalji, Z, 451
Thomas, D, 189
Thorin, D, 658
Thrush, DN, 355
Thys, DM, 618
Tietjen, CS, 69
Tobias, JD, 280
Tominaga, R, 457
Toon, RD, 170
Torri, G, 482
Toung, T, 251
Toyoda, Y, 433
Tremper, KK, 591
Trivedi, NS, 179, 184
Tunkel, DE, 275
Tuominen, M, 582
Uberfuhr, P, 409
Ugolini, KA, 629
Valenzuela, RC, 93
Venkateswaran, P, 564
Vera, RL, 243
Vloka, JD, 618
Voepel-Lewis, T, 213, 374
Vogt, AW, 437
Volpe, P, 103, 637
von Richthofen, V, 306
Vu, H, 194
Vukcevich, M, 228
Vuyk, J, 23S
Wappler, F, 306
Warner, LO, 270, 501
Wat, LI, 432
Watkins, WD, 159
Watkins-Pitchford, M, 331
Weaver, RG, Jr., 551
Weeks, DB, 551
Weinberg, GL, 668
Weiss, JH, 379
Wessel, P, 365
Westenskow, DR, 383, 33S
White, PF, 148, 653
White, SE, 78
White, WD, 312
Whitman, PF, 204
Whitten, CW, 243
Williams, KS, 61, 499
Williams, T, 259
Willsey, DB, 428
Witkowski, T, 532
Woelfel, SK, 576
Yamashita, M, 432
Yamaura, K, 457
Yao, FSF, 328
Yasui, H, 457
Yoon, HJ, 138, 542
Zalunardo, MP, 143
Zametkin, A, 61
Ziser, A, 351
Zollinger, A, 143
Zsigmond, E, 130
Zupfer, GH, 462
Zvara, DA, 88

Index of Subjects, Volume 9

Authors' names follow each subject category. Departments from which the subjects were indexed are abbreviated as follows: CC = Case Conference, CR = Case Report, DD = Doctor's Docket, ED = editorial, GR = Grand Rounds, LE = Letter to the Editor, OC = Original Contribution, RA = Review Article, RP = Rational Pharmacology, and SA = Special Article.

A

Abdominal surgery
- **heart rate, variability of**
  - during perioperative stressor events in (OC) [Schubert, Palazzolo, Brum, Ribeiro, Tan], 52
- **postoperative pain**
  - epidural morphine and oxycodone for (OC) [Backlund, Lindgren, Kajimoto, Rosenberg], 30
- **stress hormone response**
  - increase of interleukin-6, interleukin-8, and granulocyte colony-stimulating factor during (OC) [Kato, Suzuki, Murakami, Akama, Matsukawa, Hashimoto], 293

Achondroplasia
- dwarfism; anesthetic management of (OC) [Monedero, Garcia-Pedrajas, Coca, Fernandez-Liesa, Panadero, de los Rios], 208

Acidemia, isovaleric
- malignant ventricular dysrhythmias in suction lipectomy (CR) [Weinberg, Laurito, Geldner, Pygon, Burton], 668

Acquired immunodeficiency syndrome
- epidural blood patch for postdural puncture headache in (LE) [Parris], 87

ACTH (see adrenocorticotropic hormone)

Adenoidectomy and tonsillectomy
- **ondansetron for emesis**
  - dose-response curve in high-risk pediatrics patients (OC) [Lawhorn, Kymer, Stewart, Stoner, Shirey, Volpe], 637

Admission, patient
- prolonged ambulatory surgery increases likelihood of (OC) [Mingus, Bodian, Bradford, Eisenkraft], 446

Adrenocorticotropic hormone (ACTH)
- and postdural puncture headache (LE) [Gupta, Agrawal], 258

AIDS (see acquired immunodeficiency syndrome)

Airway
- **achondroplastic dwarfism**
  - anesthetic management of (OC) [Monedero, Garcia-Pedrajas, Coca, Fernandez-Liesa, Panadero, de los Rios], 208

Cook airway exchange catheter
- use of, obviated need for postoperative tracheostomy in adult patient (CR) [Hartmannsgruber, Loudermilk, Stoltzfus], 496
- **obesity**
  - positive pressure ventilation with the size 5 laryngeal mask airway (OC) [Brimacombe], 113
- **obstruction**
  - emergency transtracheal jet ventilation in high-grade (LE) [Biro, Moe], 604
  - negative pressure pulmonary edema caused by acute (OC) [Deepika, Kenaan, Barrocas, Fonseca, Bikhazi], 403

Alfentanil
- **balanced anesthetic technique**
  - vs. remifentanil in total abdominal hysterectomy (OC) [Kovac, Azad, Steer, Witkowski, Batenhorst, McNeal], 532
- **monitored care**
  - in hepatocellular cancer (OC) [Dougherty, Mikolajek, Curley], 220

Ambulatory surgery
- **admission of patients**
  - prolonged surgery and (OC) [Mingus, Bodian, Bradford, Eisenkraft], 446
- **bone marrow harvesting** (LE) [Maurer, Bolwell], 345
- **general anesthesia**
  - midazolam with propofol or propofol alone (OC) [Reinhart, Grum, Berry, Lensch, Marchbanks, Zsigmond], 130
- **patient routing systems**
  - and perioperative process (SA) [Rotondi, Brindis, Cantees, DeRiso, Ilkin, Palmer, Gunnerson, Watkins], 159
- **pediatric**
  - cancellation of; emotional and economic implications for patients and families (OC) [Tait, Voepel-Lewis, Munro, Gutstein, Reynolds], 213
- **saphenous vein stripping**
  - combined popliteal and posterior cutaneous nerve of the thigh block for; alternative to spinal anesthesia (OC) [Vloka, Hadzic, Mulcare, Lesser, Koorn, Thys], 618
- **surgical setting**
  - preoperative concerns of patients (LE) [Zvara, Manning, Jr, Stewart, McKinley, Cran], 88
- **trabeculectomy**
  - propofol lessens ocular pressure (OC) [Lauretti, Lauretti, Lauretti-Filho], 289

Analgesia
- **epidural**
  - morphine vs. oxycodone after abdominal surgery (OC) [Backlund, Lindgren, Kajimoto, Rosenberg], 30
  - multi-orifice vs. single-orifice catheter for labor and cesarean delivery (OC) [Segal, Eappen, Datta], 109
  - ropivacaine vs. bupivacaine for labor and vaginal delivery (OC) [Gaiser, Venkateswaren, Cheek, Persiley, Buxbaum, Hedge, Joyce, Gutsche], 564
- **inhalation**
  - sevoflurane in new technique with monitored anesthesia care (LE) [Philip, Myers, Philip], 608
- **intrathecal opioids**
  - morphine or fentanyl after coronary artery bypass grafting (OC) [Shroff, Rooke, Bishop], 415
- **local analgesics**
  - thyroidectomy; morphine, buprenorphine, or bupivacaine? (OC) [Lacoste, Thomas, Kraimps, Chabin, Ingrand, Barbier, Fusciardi], 189
- **patient-controlled**
  - intraoperative vs. postoperative ketorolac, for gynecologic abdominal surgery (OC) [Balestrieri, Simmons, Hill, Brown, Jackson, Brull, Maneatis, Shefrin, Bynum, O'Hara], 358
  - transdermal opioid preparation (OC) [Sevarino, Paige, Sinatra, Silverman], 173

Journal of Clinical Anesthesia 9:684–699, 1997

© 1997 by Elsevier Science Inc.

655 Avenue of the Americas, New York, NY 10010

0952-8180/97/$17.00
PII S0952-8180(97)00242-0

postoperative
oral-transdermal clonidine, low-dose (OC) [Owen, Fibuch, McQuillan, Millington], 8
orthopedic surgery
intrathecal neostigmine for (OC) [Lauretti, Mattos, Reis, Prado], 473
pediatric
intrathecal morphine vs. nalbuphine for frontal encephalocele repair (OC) [Tobias, Mateo, Ferrer, Jimenez, Barone, Reyes de Castro], 280
thyroidectomy
morphine, buprenorphine, or bupivacaine? (OC) [Lacoste, Thomas, Kraimps, Chabin, Ingrand, Barbier, Fusciardi], 189
Anesthesia
ambulatory
and Lesch-Nyhan syndrome
propofol for outpatient radiography (CR) [Williams, Hankerson, Ernst, Zametkin], 61
epidural hematoma in (CR) [Porterfield, Wu], 74
setting of
preoperative concerns of patients (LE) [Zvara, Manning, Jr, Stewart, McKinley, Cran], 88
epidural
echocardiographic evaluation of global left ventricular function during high thoracic (OC) [Niimi, Ichinose, Saegusa, Nakata, Morita], 118
epidural-general, and isoflurane anesthesia; total-body oxygen consumption after (OC) [Steinbrook, Seigne], 559
gravity flow technique vs. bolus injection in obstetrics (OC) [Cohen, Amar], 623
lumbar
general anesthesia with and without; effects on total hip arthroplasty (OC) [Dauphin, Raymer, Stanton, Fuller], 200
multi-orifice vs. single-orifice catheter for labor and cesarean delivery (OC) [Segal, Eappen, Datta], 109
shock, accidental, during, in patient suffering from NSAID-induced hyporeninemic hypoaldosteronism (CR) [Tan, Chou, Perng], 424
general
cause of more perioperative bleeding in dilation and curettage (LE) [Johnson, Schlanger], 433
inhalational
desflurane vs. isoflurane, halothane and enflurane, during low-flow conditions (LE) [Lin] 607 (Reply [Hargasser, Mielke, Breinbauer, Entholzner, Rust, Hipp] 608)
facemasks, scented
and patient safety (LE) [Hinkle], 521
gas flow management
effect of, on postintubation end-tidal anesthetic concentration and operating room pollution (OC) [Siker, Sprung, Escorcia, Koch, Vukcevich], 228
heart rate, heart rate variability, and blood pressure during perioperative stressor events in abdominal surgery (OC) [Schubert, Palazzolo, Brum, Ribeiro, Tan], 52
"old" vapor monitors and new vapor anesthetics (LE) [Gyermek], 171
sevoflurane in new technique with monitored anesthesia care (LE) [Philip, Myers, Philip], 608
intravenous
adverse drug interactions (RA) [Bovill], 3S
bolus injections; interactions following (RA) [Kissin], 14S
delivery of
feedback control, fuzzy logic, and neural networks (RA) [Westenskow], 33S
interactions of; an overview (RA) [Rosow], 27S
neuromuscular blocking drugs; onset and intubation (RA) [Bevan], 36S
pharmacokinetic and pharmacodynamic interactions of propofol and opioids (RA) [Vuyk], 23S
Society of Intravenous Anesthesia
aims and goals (ED) [Glass, Howie], 1S
train-of-four count and kinetic-dynamic modelling (RA) [Shanks], 40S
volatile anesthetics and opioids; interactions (RA) [Glass, Gan, Howell, Ginsberg], 18S
lumbar intrathecal
pediatric
morphine vs. nalbuphine after frontal encephalocele repair (OC) [Tobias, Mateo, Ferrer, Jimenez, Barone, Reyes de Castro], 280
monitored anesthesia care
propofol vs. remifentanil during (OC) [Smith, Avramov, White], 148
obstetric
preoperative pregnancy testing; survey of current practice (OC) [Kempen], 546
risk index for (OC) [Kempen, Norton, Vu], 194
peribulbar block
nosocomial meningitis in (LE) [Péronnet, Kisterman], 675
single-injection, in cataract surgery (OC) [Hendrick, Rosenberg, Lebenbom-Mansour], 285
regional
carotid endarterectomy
assessment of neurologic motor function during (LE) [Halimi, Guedj], 431
short saphenous vein stripping
combined popliteal and posterior cutaneous nerve of the thigh block; alternative to spinal anesthesia (OC) [Vloka, Hadzic, Mulcare, Lesser, Koorn, Thys], 618
femoral nerve block
bupivacaine administration via, in anterior cruciate ligament repair (OC) [Tetzlaff, Andrish, O'Hara, Jr., Yoon], 542
spinal
inguinal herniorrhaphy in premature infants; postoperative oxygen desaturation needing intervention during (LE) [Sukhani, Pappas, Black, Noles], 520
lipoma, midline lumbar from (LE) [Cohen, Adams, Toon], 170
resident malpractice during (DD) [Liang, Laurito], 341
thoracic
echocardiographic evaluation of global left ventricular function during high thoracic epidural anesthesia (OC) [Niimi, Ichinose, Saegusa, Nakata, Morita], 118
tracheal rupture, and
selective bronchial intubation for (CR) [Lobato, Risley, III, Stoltzfus], 148
uptake of inhalational
desflurane, isoflurane, halothane, and enflurane (LE) [Lin] 607
(Reply [Hargasser, Mielke, Breinbauer, Entholzner, Rust, Hipp] 608)
Anesthesia journals, scientific
ghostwriting in (ED) [Cullen], 349
Anesthesiologists
and anesthetic controversies (OC) [Poterack], 266
and HIV risk
compliance with precautionary measures (ED) [Layon], 525
gloving practices
study of, at induction of anesthesia (OC) [Ben-David, Gaitini], 527
medicolegal obligations
informed consent
desire for perioperative information; survey of adult patients (OC) [Kain, Kosarussavadi, Hernandez-Conte, Hofstadter, Mayes], 467

pregnancy
risk index for, during anesthesia (OC) [Kempen, Norton, Vu], 194
publishing
ghostwriting in scientific anesthesia journals (ED) [Cullen], 349
preadmission evaluation centers
anesthesiologist-directed; efficacy and financial benefit of (OC) [Starsnic, Guarnieri, Norris], 299
resident
malpractice case with spinal anesthesia (DD) [Liang, Laurito], 341
selection of; study of the critical incident technique (OC) [Altmaier, From, Pearson, Gorbatenko-Roth, Ugolini], 629
Society of Intravenous Anaesthesia
aims and goals (ED) [Glass, Howie], 1S
Anesthesiology departments
cost containment in
the bigger picture (ED) [Jones], 91
survey of activities (OC) [Valenzuela, Johnstone], 93
Anesthesiology history
on the original source of correspondence of Oliver Wendell Holmes in coining the terms "anaesthesia" and "anaesthetic" (LE) [Kubota, Toyoda, Kubota], 433
Anesthetic controversies
how controversial? (OC) [Poterack], 266
Anesthetic gases
management of, on postintubation end-tidal anesthetic concentration and operating room pollution (OC) [Siker, Sprung, Escorcia, Koch, Vukcevich], 228
Anesthetic technique
balanced
in total abdominal hysterectomy
remifentanil vs. alfentanil (OC) [Kovac, Azad, Steer, Witkowski, Batenhorst, McNeal], 532
gravity flow vs. bolus injection
in obstetrics (OC) [Cohen, Amar], 623
Anesthetics, volatile
drug interactions: opioids and (RA) [Glass, Gan, Howell, Ginsberg], 18S
Aneurysm, cerebral
esmolol for control of bleeding and heart rate during electroconvulsive therapy in patient with (CR) [Kolano, Chhibber, Calalang], 493
Antiemetics
gynecological surgery
dexamethasone vs. ondansetron (OC) [McKenzie, Riley, Tantisira, Hamilton], 15
dolasetron mesilate (OC) [Diemunsch, D'Hollander, Paxton, Schoeffler, Wessel, Navé, Brown, Hahne], 365
thyroid and parathyroid surgery
propofol reduces incidence of (OC) [Sonner, Hynson, Clark, Katz], 398
Anxiety, patient
concerns about ambulatory surgery (LE) [Zvara, Manning, Jr, Stewart, McKinley, Cran], 88
Arrhythmia
esophageal electrocardiogram
wave recognition and use of intraoperative unipolar (OC) [Jain], 487
isovaleric acidemia
malignant ventricular dysrhythmias in suction lipectomy (CR) [Weinberg, Laurito, Geldner, Pygon, Burton], 668
Arthroplasty
knee
normothermia
active warming maintains, during combined epidural-general anesthesia (OC) [Berti, Casati, Torri, Aldegheri, Lugani, Fanelli], 482
total hip
lumbar epidural
general anesthesia with and without (OC) [Dauphin, Raymer, Stanton, Fuller], 200
normothermia
active warming maintains, during combined epidural-general anesthesia (OC) [Berti, Casati, Torri, Aldegheri, Lugani, Fanelli], 482
ASA (American Society of Anesthesiologists) physical status and preoperative evaluation
financial and, implications of (OC) [Vogt, Henson], 437
Asthmatic patient
bilateral lung collapse during thoracotomy (CR) [Nesbitt, Temeck, Williams], 499
Atrial fibrillation
incidental conversion to sinus rhythm from, in external venous catheterization (CR) [Lee, Cozine], 664
Autonomic nervous system
heart rate, and variability of
perioperative stressor events during abdominal surgery (OC) [Schubert, Palazzolo, Brum, Ribeiro, Tan], 52
in orthopedics
tourniquet-induced hypertension and changes in, as detected by power spectral heart rate analysis (OC) [Tetzlaff, O'Hara, Jr., Yoon, Schubert], 138

B

Balanced anesthetic technique
in total abdominal hysterectomy
remifentanil vs. alfentanil (OC) [Kovac, Azad, Steer, Witkowski, Batenhorst, McNeal], 532
Biomedical publishing
ghostwriting in scientific anesthesia journals (ED) [Cullen], 349
Bleeding, perioperative
caused by general anesthesia in dilation and curettage (LE) [Johnson, Schlanger], 433
Blood
arterial blood gas
effect of solubility and hyperlipidemia on tensions of (CR) [Watkins-Pitchford, Kelly, Brull], 331
coagulation
Sonoclot and thrombeloastograph
perioperative hypercoagulability in uremic patients; a viscoelastic study (OC) [Pivalizza, Abramson, Harvey], 442
coagulopathy, postpartum
thrombelastography for (CR) [Sharma, Vera, Stegall, Whitten], 243
donor-originated
platelet-rich plasma transfusion from, in cardiac transplantation (OC) [Tassani, Otto, Székely, Meiser, Uberfuhr, Pfeiffer, Janicke], 409
hemodilution, intraoperative
cost-effectiveness of (OC) [Rosenblatt, Cantos, Jr., Mohandas], 26
hypercoagulability
perioperative, in uremic patients; a viscoelastic study (OC) [Pivalizza, Abramson, Harvey], 442
predonation, autologous
vs. intraoperative hemodilution (OC) [Rosenblatt, Cantos, Jr., Mohandas], 26
loss of
and total hip arthroplasty
general anesthesia with and without lumbar epidural (OC) [Dauphin, Raymer, Stanton, Fuller], 200
transfusion
combined hemodilution and hypotension monitored with jugular bulb oxygen saturation, EEG, and ECG decreases transfusion volume and length of ICU stay for major orthopedic surgery (OC) [Shapira, Gurman, Artru, Ousyscher, Lam, Kollender, Meller], 643
warming device
limited air elimination capability of Level 1 fluid warmer (OC) [Hartmannsgruber, Gravenstein], 233

Bone marrow harvesting
outpatient (LE) [Maurer, Bolwell], 345
Brain
ischemia
neurologic implications of diabetic hyperglycemia during surgical procedures at increased risk for (SA) [Sieber], 334
Bronchopleural fistulae
in lung resection (CR) [Tietjen, Simon, Helfaer], 69
Bupivacaine
anterior cruciate ligament repair
given via femoral nerve catheter for analgesia (OC) [Tetzlaff, Andrish, O'Hara, Jr., Dilger, Yoon], 542
caudal epidural butorphanol and
vs. bupivacaine alone, for pediatric outpatient genitourinary surgery (OC) [Lawhorn, Stoner, Schmitz, Brown, Jr., Stewart, Volpe, Shirey], 103
dysrhythmias, malignant ventricular
during suction lipectomy in isovaleric acidemia patient (CR) [Weinberg, Laurito, Geldner, Pygon, Burton], 668
postthyroidectomy
comparison of analgesia with morphine, buprenorphine, and (OC) [Lacoste, Thomas, Kraimps, Chabin, Ingrand, Barbier, Fusciardi], 189
vs. ropivacaine
epidural analgesia for labor and vaginal delivery (OC) [Gaiser, Venkateswaren, Cheek, Persiley, Buxbaum, Hedge, Joyce, Gutsche], 564
Buprenorphine
postthyroidectomy
comparison of analgesia with morphine, bupivacaine, and (OC) [Lacoste, Thomas, Kraimps, Chabin, Ingrand, Barbier, Fusciardi], 189
Butorphanol
caudal epidural
with bupivacaine, or bupivacaine alone, in pediatric outpatient genitourinary surgery (OC) [Lawhorn, Stoner, Schmitz, Brown, Jr., Stewart, Volpe, Shirey], 103
Bypass
cardiopulmonary
air emboli
capnography and transesophageal echocardiography for removal of (OC) [Hoka, Okamoto, Yamaura, Takahashi, Tominaga, Yasui], 457
hypothermic
jugular venous vs. nasopharyngeal temperature monitoring during (OC) [Grocott, Newman, Croughwell, White, Lowry, Reves], 312
venovenous
cause of arteriovenous obstruction in liver transplantation (CR) [Neelakanta, Csete, Busuttil], 507

C
Cannula, jet ventilation
laryngotracheal anesthesia device as, for removal of fragmented intratracheal T-tube (CR) [Brown, Paige], 239
Capnography
air emboli
transesophageal echocardiography and, for removal of (OC) [Hoka, Okamoto, Yamaura, Takahashi, Tominaga, Yasui], 457
artifactual rebreathing
case of (CR) [Schwann, Maguire, Smith], 589
Carbon dioxide rebreathing
artifactual; case of (CR) [Schwann, Maguire, Smith], 589
Cardiac arrest
pediatric
in unrecognized rhabdomyolysis (CR) [Warner, Reiner, Beach], 501
report of anesthetic death due to unsuspected myocarditis (LE) [Critchley], 676 (Reply [Liang], 677)
shock, accidental, during
in patient suffering from NSAID-induced hyporeninemic hypoaldosteronism (CR) [Tan, Chou, Perng], 424
Cardiac disease, severe
and laparoscopic cholecystectomy
hemodynamic changes during (OC) [Hein, Joshi, Ramsay, Fox, Gawey, Hellman, Arnold], 261
Cardiac transplantation
and transfusion
platelet-rich plasma transfusion from organ donor (OC) [Tassani, Otto, Székely, Meiser, Uberfuhr, Pfeiffer, Janicke], 409
Cardiopulmonary arrest
induced by Vitamin K (CC) [Songy, Jr., Layon, Moreb], 514
Cardiopulmonary bypass
air emboli
capnography and transesophageal echocardiography for removal of (OC) [Hoka, Okamoto, Yamaura, Takahashi, Tominaga, Yasui], 457
hypothermic
jugular venous vs. nasopharyngeal temperature monitoring during (OC) [Grocott, Newman, Croughwell, White, Lowry, Reves], 312
Carnitine
dysrhythmias, malignant ventricular
during suction lipectomy in isovaleric acidemia patient (CR) [Weinberg, Laurito, Geldner, Pygon, Burton], 668
Carotid endarterectomy
assessment of neurologic motor function during (LE) [Halimi, Guedj], 431
Cataract surgery
peribulbar block
efficacy and safety of, prior to (OC) [Hendrick, Rosenberg, Lebenbom-Mansour], 285
nosocomial meningitis in (LE) [Péronnet, Kisterman], 675
Catecholamines
and isoflurane
response of renin-angiotensin and, during controlled hypotension induced by Prostaglandin E_1 and hemodilution (OC) [Fukusaki, Maekawa, Kobayashi, Hara, Sumikawa], 321
Catheters
central venous
incidental conversion to sinus rhythm from atrial fibrillation during external venous catheterization (CR) [Lee, Cozine], 664
endotracheal tube changer
J-wire cover as alternative (CR) [Cherian, Mathews], 586
single-orifice vs. multi-orifice
superiority of multi-orifice in labor analgesia and cesarean delivery (OC) [Segal, Eappen, Datta], 109
Cerebral aneurysm
esmolol for control of bleeding and heart rate during electroconvulsive therapy in patient with (CR) [Kolano, Chhibber, Calalang], 493
Cesarean section
single-orifice vs. multi-orifice catheters in
superiority of multi-orifice in labor analgesia and (OC) [Segal, Eappen, Datta], 109
Chemotherapy
monitored care
in hepatocellular cancer (OC) [Dougherty, Mikolajek, Curley], 220
Chest radiography, routine
utility of, in postanesthesia care unit (OC) [Barak, Markovits, Guralnik, Rozenberg, Ziser], 351
Child abuse
preoperative pregnancy testing; survey of current practice (OC) [Kempen], 548

Cholecystectomy, laparoscopic
for severe cardiac disease
hemodynamic changes (OC) [Hein, Joshi, Ramsay, Fox, Gawey, Hellman, Arnold], 261
Clonidine
intravenous and oral
effects of, on hemodynamic and plasma-catecholamine response from endotracheal intubation (OC) [Zalunardo, Zollinger, Spahn, Seifert, Radjaipour, Gautschi, Pasch], 143
oral-transdermal, low-dose
and postoperative analgesia (OC) [Owen, Fibuch, McQuillan, Millington], 8
Compartment syndrome
upper arm
after pressurized infiltration of intravenous crystalloid (CR) [Willsey, Peterfreund], 428
Conflict of interest
in publishing
ghostwriting in scientific anesthesia journals (ED) [Cullen], 349
Contamination, equipment
gloves, laryngoscopes, and laryngeal masks (LE) [Ben-David, Gaitini], 345
Cook airway exchange catheter
use of, obviated need for postoperative tracheostomy in adult patient (CR) [Hartmannsgruber, Loudermilk, Stoltzfus], 496
Coronary artery bypass grafting
and esophageal electrocardiogram
wave recognition and use of intraoperative unipolar (OC) [Jain], 487
intrathecal opioids
effects of, on extubation time, analgesia, and intensive care unit stay after (OC) [Shroff, Rooke, Bishop], 415
myocardial ischemia
detection of, by transesophageal echocardiography (OC) [Hogue, Jr., Davila-Roman], 388
Cost containment
in anesthesiology departments
the bigger picture (ED) [Jones], 91
survey of activities (OC) [Valenzuela, Johnstone], 93
overage reduction of supplies
in operating room; assessment of (OC) [Rosenblatt, Chavez, Tenney, Silverman], 478
pediatric ambulatory surgery
cancellation of; implications for patients and families (OC) [Tait, Voepel-Lewis, Munro, Gutstein, Reynolds], 213
preadmission evaluation centers
anesthesiologist-directed (OC) [Starsnic, Guarnieri, Norris], 299
preoperative evaluation
shared vision for change (ED) [Roizen], 435
undicated; ASA physical status and financial implications (OC) [Vogt, Henson], 437
Cost-effectiveness
understanding the term (LE) [Lubarsky], 603 (Reply [Rosenblatt] 604)
Cytokines, plasma
interleukin-6, interleukin-8, and granulocute colony-stimulating factor
increase of, during abdominal surgery (OC) [Kato, Suzuki, Murakami, Akama, Matsukawa, Hashimoto], 293

D
Dantrolene
and malignant hyperthermia
sudden death in patient with family history of (CR) [Ryan, Tedeschi], 66
Decision support systems
patient routing systems and perioperative process (SA) [Rotondi, Brindis, Cantees, DeRiso, Ilkin, Palmer, Gunnerson, Watkins], 159
Dermatology complication
and electrocardiographic monitoring
skin hyperpigmentation and (LE) [Sprung, Schoenwald], 602
Desflurane
vs. isoflurane, halothane, and enflurane during low-flow conditions (LE) [Lin], 607 (Reply [Hargasser, Mielke, Breinbauer, Entholzner, Rust, Hipp] 608)
Dexamethasone
propofol, and ondansetron in gynecologic surgery (OC) [McKenzie, Riley, Tantisira, Hamilton], 15
Diabetes
and brain ischemia
neurological implications of diabetic hyperglycemia during procedures at increased risk for (SA) [Sieber], 334
DOI [1-(2.5-dimethoxy-4-iodophenyl)-2-aminopropane]
and ritanserin
effect of, on skeletal muscles of patients susceptible to malignant hyperthermia (OC) [Wappler, Scholz, Opperman, von Richthofen, Steinfath, Schulte am Esch], 306

Dolasetron mesilate
intravenous
for emesis in gynecological surgery (OC) [Diemunsch, D'Hollander, Paxton, Schoeffler, Wessel, Navé, Brown, Hahne], 365

Droperidol
middle ear procedures
vs. ondansetron and placebo for emesis prevention (OC) [Jellish, Thalji, Fluter, Leonetti], 451
pediatric
vs. ondansetron and metoclopramide for emesis prevention in strabismus surgery (OC) [Scuderi, Weaver, Jr., James, Mims, Elliott, Weeks], 551

Drug
cost containment of
in anesthesiology departments
the bigger picture (ED) [Jones], 91
survey of activities (OC) [Valenzuela, Johnstone], 93
delivery of
feedback control, fuzzy logic, and neural networks (RA) [Westenskow], 33S
interactions
adverse, in intravenous anesthesia (RA) [Bovill], 3S
intravenous anesthetic, following bolus injections (RA) [Kissin], 14S
intravenous; an overview (RA) [Rosow], 17S
pharmacokinetic and pharmacodynamic, between opioids and propofol (RA) [Vuyk], 23S
volatile anesthetics and opioids (RA) [Glass, Gan, Howell, Ginsberg], 18S
reaction
cardiovascular collapse induced by Vitamin K (CC) [Songy, Jr., Layon, Moreb], 514

Dwarfism, achondroplastic
anesthetic management of (OC) [Monedero, Garcia-Pedrajas, Coca, Fernandez-Liesa, Panadero, de los Rios], 208

E
Ear, middle, surgery
emesis
ondansetron vs. droperidol and placebo for prevention of (OC) [Jellish, Thalji, Fluter, Leonetti], 451
Echocardiography
transesophageal
and cardiopulmonary bypass
capnography and, for removal of retained air during (OC) [Hoka, Okamoto, Yamaura, Takahashi, Tominaga, Yasui], 457
transthoracic
evaluation of global left ventricular function during high thoracic epi-

dural anesthesia (OC) [Niimi, Ichinose, Saegusa, Nakata, Morita], 118

Economics
cost-effectiveness
understanding the term (LE) [Lubarsky], 603 (Reply [Rosenblatt] 604)
overage reduction of supplies
in operating room; assessment of (OC) [Rosenblatt, Chavez, Tenney, Silverman], 478
pediatric ambulatory surgery
cancellation of; implications for patients and families (OC) [Tait, Voepel-Lewis, Munro, Gutstein, Reynolds], 213
preadmission evaluation centers
anesthesiologist-directed; efficacy and financial benefit of (OC) [Starsnic, Guarnieri, Norris], 299
preoperative evaluation
shared vision for change (ED) [Roizen], 435
undicated; ASA physical status and financial implications (OC) [Vogt, Henson], 437

Edema
pulmonary
negative pressure, caused by acute upper airway obstruction (OC) [Deepika, Kenaan, Barrocas, Fonseca, Bikhazi], 403

Electrocardiography
esophageal
in coronary artery bypass grafting
wave recognition and use of intraoperative unipolar (OC) [Jain], 487
skin hyperpigmentation and (LE) [Sprung, Schoenwald], 602

Electroconvulsive therapy (ECT)
and esmolol
for bleeding and heart rate control in intracranial aneurysm patient (CR) [Kolano, Chhibber, Calalang], 493
hemodynamic responses to; relation of seizure activity to (OC) [Fu, Stool, White, Husain], 653

Embolism
air
capnography and transesophageal echocardiography for removal of, during cardiopulmonary bypass (OC) [Hoka, Okamoto, Yamaura, Takahashi, Tominaga, Yasui], 457
intervention of, during hysteroscopy (CR) [Behnia, Holley, Milad], 248
limited air elimination capability of Level 1 blood warming device (OC) [Hartmannsgruber, Gravenstein], 233
venous; a review (SA) [Palmon, Moore, Lundberg, Toung], 251
pulmonary
intervention of, during hysteroscopy (CR) [Behnia, Holley, Milad], 248

Embryo transfer
and donor oocytes
propofol: appropriate for? (ED) [Hein, Putman], 611
propofol-based sedation technique in (OC) [Rosenblatt, Bradford, Bodian, Grunfeld], 614

Emesis
granisetron
for control of, after general anesthesia (OC) [Taylor, Rosen, Diemunsch, Thorin, Houweling], 658
gynecological surgery
dexamethasone vs. ondansetron for (OC) [McKenzie, Riley, Tantisira, Hamilton], 15
dolasetron mesilate for (OC) [Diemunsch, D'Hollander, Paxton, Schoeffler, Wessel, Navé, Brown, Hahne], 365
middle ear procedures
ondansetron vs. droperidol and placebo for prevention of (OC) [Jellish, Thalji, Fluter, Leonetti], 451
pediatric
fentanyl oral transmucosal premedication as cause of (OC) [Malviya, Voepel-Lewis, Huntington, Stewart, Green], 374
ondansetron, metoclopramide, and droperidol for prevention of, in strabismus surgery (OC) [Scuderi, Weaver, Jr., James, Mims, Elliott, Weeks], 551
ondansetron dose-response curve in high-risk patients undergoing adenoidectomy and tonsillectomy (OC) [Lawhorn, Kymer, Stewart, Stoner, Shirey, Volpe], 637
thyroid and parathyroid surgery
propofol reduces incidence of (OC) [Sonner, Hynson, Clark, Katz], 398

Encephalocele repair, frontal
pediatric
postoperative analgesia with intrathecal morphine vs. nalbuphine (OC) [Tobias, Mateo, Ferrer, Jimenez, Barone, Reyes de Castro], 280

Endarterectomy, carotid
assessment of neurologic motor function during (LE) [Halimi, Guedj], 431

Enzyme inhibition
adverse drug interactions in intravenous anesthesia (RA) [Bovill], 3S

Epidural blood patch
for postdural puncture headache in AIDS patient (LE) [Parris], 87

Epinephrine
acute pulmonary edema and bulbar paralysis after local infiltration with (CR) [Tajima, Sato, Miyabe], 236

Equipment and supplies
catheters
Cook airway exchange catheter
use of, obviated need for postoperative tracheostomy in adult patient (CR) [Hartmannsgruber, Loudermilk, Stoltzfus], 496
endotracheal tube changer
J-wire cover as alternative (CR) [Cherian, Mathews], 586
single-orifice vs. multi-orifice
superiority of multi-orifice in labor analgesia and cesarean delivery (OC) [Segal, Eappen, Datta], 109
evoked-potential stimulators
false low pulse oximeter readings associated with use of peripheral nerve stimulators and (CC) [Keidan, Sidi, Gravenstein, Tremper], 591
facemasks, scented
and patient safety (LE) [Hinkle], 521
fluid warmer
limited air elimination capability of Level 1 blood warming device (OC) [Hartmannsgruber, Gravenstein], 233
laryngeal mask airway (*see Laryngeal Mask Airway below*)
lightwand
pediatric intubation with (OC) [Fisher, Tunkel], 275
lumen, intravenous
double, single
propofol injection pain reduction with double IV set (OC) [Angst, Mackey, Zupfer, Tataru, Brock-Utne], 462
monitor, vapor
and measurement of new vapor anesthetics (LE) [Gyermek], 171
nerve stimulators
false low pulse oximeter readings associated with use of evoked-potential stimulators and (CC) [Keidan, Sidi, Gravenstein, Tremper], 591
operating room
overage reduction; assessment of (OC) [Rosenblatt, Chavez, Tenney, Silverman], 478

pulse oximeter
comparison of seven models during desaturation and resaturation (OC) [Trivedi, Ghouri, Lai, Shah, Barker], 184
effects of motion, ambient light, and hypoperfusion on function of (OC) [Trivedi, Ghouri, Shah, Lai, Barker], 179
Sonoclot blood analyzer
in uremia
perioperative hypercoagulability in; a viscoelastic study (OC) [Pivalizza, Abramson, Harvey], 442
warming devices
in arthroplasty, knee and total hip
active warming maintains normothermia during combined epidural-general anesthesia (OC) [Berti, Casati, Torri, Aldegheri, Lugani, Fanelli], 482
Esmolol
and electroconvulsive therapy
for bleeding and heart rate control in intracranial aneurysm patient (CR) [Kolano, Chhibber, Calalang], 493
Ethanol withdrawal
acute tachyphylaxis caused by propofol sedation during (CR) [Currier, Bevacqua], 420
Ethics
informed consent
desire for perioperative information; survey of adult patients (OC) [Kain, Kosarussavadi, Hernandez-Conte, Hofstadter, Mayes], 467
pediatrics
neurosurgery
blood, bone, and dura: anesthesia responsibility and (DD) [Liang, Rockoff], 597
sudden death
report of anesthetic death due to unsuspected myocarditis (LE) [Critchley], 676 (Reply [Liang], 677)
pregnancy
risk index for, during anesthesia (OC) [Kempen, Norton, Vu], 194
publishing
ghostwriting in scientific anesthesia journals (ED) [Cullen], 349
ulnar nerve injury
and abdominal surgery; malpractice judgment against; case analysis (DD) [Liang, Sunder], **(8)**
Etomidate
for induction
vs. thiopental; effect on hemodynamics (OC) [Jellish, Riche, Salord, Ravussin, Tempelhoff], 36
Evaluation, preoperative
shared vision for change (ED) [Roizen], 435
unindicated; ASA physical status and financial implications (OC) [Vogt, Henson], 437
Evoked-potential stimulators
false low pulse oximeter readings associated with use of peripheral nerve stimulators and (CC) [Keidan, Sidi, Gravenstein, Tremper], 591
Eye surgery
cataract
peribulbar block
efficacy and safety of, prior to (OC) [Hendrick, Rosenberg, Lebenbom-Mansour], 285
nosocomial meningitis in (LE) [Péronnet, Kisterman], 675
peribulbar block
efficacy and safety of, prior to (OC) [Hendrick, Rosenberg, Lebenbom-Mansour], 285
nosocomial meningitis in (LE) [Péronnet, Kisterman], 675
strabismus, pediatric
emesis prevention in
droperidol, ondansetron, and metoclopramide, in (OC) [Scuderi, Weaver, Jr., James, Mims, Elliott, Weeks], 551
intubation in
intravenous lidocaine for (OC) [Warner, Balch, Davidson], 270

F
Facemasks, scented
and patient safety (LE) [Hinkle], 521
Fasciotomy, surgical
compartment syndrome, upper arm
intervention for (CR) [Willsey, Peterfreund], 428
Feedback control
intravenous anesthetics
fuzzy logic, neural networks, and (RA) [Westenskow], 33S
Femoral nerve block
bupivacaine administration via, in anterior cruciate ligament repair (OC) [Tetzlaff, Andrish, O'Hara, Jr., Yoon], 542
Fentanyl
intrathecal
effects of, on extubation time, analgesia, and intensive care unit stay after coronary artery bypass grafting (OC) [Shroff, Rooke, Bishop], 415
oral transmucosal premedication
side effects of (OC) [Malviya, Voepel-Lewis, Huntington, Stewart, Green], 374
preinduction injection of
spontaneous movements associated with rocuronium injection decreased by (OC) [Borgeat, Kwiatkowski, Ruetsch], 650
Flexor hallucis brevis muscle
vs. adductor pollicis
as site for mivacurium monitoring (OC) [Kern, Johnson, Orr, Westenskow], 383
Fluid warmer
limited air elimination capability of Level 1 blood warming device (OC) [Hartmannsgruber, Gravenstein], 233
Flumazenil
and midazolam in psychomotor function (OC) [Gupta, Lind, Eklund, Lennmarken], 21
Fuzzy logic
and intravenous anesthetics
feedback control, neural networks, and (RA) [Westenskow], 33S

G
Gas flow management
effects of, on postintubation end-tidal anesthetic concentration and operating room pollution (OC) [Siker, Sprung, Escorcia, Koch, Vukcevich], 228
Glaucoma
trabeculectomy, outpatient
propofol lessens ocular pressure (OC) [Lauretti, Lauretti, Lauretti-Filho], 289
Gloving practices
equipment contamination
decrease of, with (LE) [Ben-David, Gaitini], 345
HIV exposure risk
compliance with precautionary measures among health care workers (ED) [Layon], 525
universal precautions
practice of, at anesthesia induction (OC) [Ben-David, Gaitini], 527
Granisetron
for emesis control after general anesthesia (OC) [Taylor, Rosen, Diemunsch, Thorin, Houweling], 658
Gravity flow technique
and epidural anesthesia
vs. bolus injection in obstetrics (OC) [Cohen, Amar], 623
Gynecologic surgery
analgesia
balanced anesthetic technique
in total abdominal hysterectomy
remifentanil vs. alfentanil (OC) [Kovac, Azad, Steer, Witkowski, Batenhorst, McNeal], 532
ketorolac, intravenous
intraoperative vs. postoperative administration in total abdominal hysterectomy and myomectomy (OC) [Balestrieri, Simmons, Hill, Brown, Jackson, Brull, Maneatis, Shefrin, Bynum, O'Hara], 358

dilatation and curettage
general anesthesia as cause of more perioperative bleeding (LE) [Johnson, Schlanger], 433
embryo transfer with donor oocytes
propofol-based sedation technique in (OC) [Rosenblatt, Bradford, Bodian, Grunfeld], 614
emesis during
dexamethasone vs. ondansetron for [McKenzie, Riley, Tantisira, Hamilton], 15
dolasetron mesilate for (OC) [Diemunsch, D'Hollander, Paxton, Schoeffler, Wessel, Navé, Brown, Hahne], 365
hysteroscopy
intervention of air embolism during (CR) [Behnia, Holley, Milad], 248

H
Headache, postdural puncture
and adrenocorticotropic hormone (ACTH)
(LE) [Gupta, Agrawal], 258
epidural blood patch for AIDS patient
(LE) [Parris], 87
Heart
ventricular function
echocardiographic evaluation of global left, during high thoracic epidural anesthesia (OC) [Niimi, Ichinose, Saegusa, Nakata, Morita], 118
Heart rate
and variability of, during perioperative stressor events in abdominal surgery (OC) [Schubert, Palazzolo, Brum, Ribeiro, Tan], 52
Heart rate analysis, power spectral
hypertension and autonomic nervous system changes as measured by (OC) [Tetzlaff, O'Hara Jr., Yoon, Schubert], 138
Hematoma
epidural
ambulatory surgery patient (CR) [Porterfield, Wu], 74
Hemodilution
cost-effectiveness
intraoperative (OC) [Rosenblatt, Cantos, Jr., Mohandas], 26
hypotension, combined with
monitored with jugular bulb oxygen saturation, EEG, and ECG decreases transfusion volume and length of ICU stay for major orthopedic surgery (OC) [Shapira, Gurman, Artru, Ousyscher, Lam, Kollender, Meller], 643
therapeutic
catecholamine and renin-angiotensin response during controlled hypotension, induced by Prostaglandin E_1 and, with isoflurane (OC) [Fukusaki, Maekawa, Kobayashi, Hara, Sumikawa], 321
Hemorrhage, medullary
and epinephrine infiltration (CR) [Tajima, Sato, Miyabe], 236
Heparin
low molecular weight
ambulatory surgery patient (CR) [Porterfield, Wu], 74
Hepatocellular cancer
monitored care and (OC) [Dougherty, Mikolajek, Curley], 220
Hernia, pediatric
and outpatient genitourinary surgery
caudal epidural butorphanol vs. bupivacaine alone, for outpatient genitourinary surgery (OC) [Lawhorn, Stoner, Schmitz, Brown, Jr., Stewart, Volpe, Shirey], 103
herniorrhaphy
in premature infants; postoperative oxygen desaturation needing intervention during (LE) [Sukhani, Pappas, Black, Noles], 520
Hip arthroplasty, total
general anesthesia with and without lumbar epidural (OC) [Dauphin, Raymer, Stanton, Fuller], 200
HIV (see Human immunodeficiency syndrome)
Hormone response, stress
in abdominal surgery
increase of interleukin-6, interleukin-8, and granulocyte colony-stimulating factor during (OC) [Kato, Suzuki, Murakami, Akama, Matsukawa, Hashimoto], 293
Human immunodeficiency syndrome
exposure risk in health care workers
compliance with precautions (ED) [Layon], 525
Hypercapnia
permissive
in lung resection (CR) [Tietjen, Simon, Helfaer], 69
Hyperglycemia
and brain ischemia
neurologic implications of diabetic, during procedures at increased risk for (SA) [Sieber], 334
Hyperkalemia
and malignant hyperthermia
sudden death in patient with family history (CR) [Ryan, Tedeschi], 66
Hyperpigmentation, skin
and electrocardiographic monitoring (LE) [Sprung, Schoenwald], 602
Hypertension
in orthopedics
tourniquet-induced, and autonomic nervous system changes as measured by power spectral heart rate analysis (OC) [Tetzlaff, O'Hara Jr., Yoon, Schubert], 138
Hypnotic drugs
zolpidem, triazolam, and placebo; comparison of, given the night before surgery (OC) [Morgan, Chapados, Chung, Gauthier, Knox, Le Lorier], 97
Hypotension
and hemodilution combined
monitored with jugular bulb oxygen saturation, EEG, and ECG decreases transfusion volume and length of ICU stay for major orthopedic surgery (OC) [Shapira, Gurman, Artru, Ousyscher, Lam, Kollender, Meller], 643
controlled
and isoflurane
catecholamine and renin-angiotensin response during, induced by Prostaglandin E_1 and hemodilution (OC) [Fukusaki, Maekawa, Kobayashi, Hara, Sumikawa], 321
Hypoxemia
positive-pressure ventilation
and size 5 laryngeal mask airway (OC) [Brimacombe], 113
pulse oximeter function
comparison of seven models during desaturation and resaturation (OC) [Trivedi, Ghouri, Lai, Shah, Barker], 184
effects of motion, ambient light, and hypoperfusion on (OC) [Trivedi, Ghouri, Shah, Lai, Barker], 179
vital signs and
does significant arterial, alter? (OC) [Thrush, Downs, Hodges, Smith], 355
Hysterectomy, total abdominal
balanced anesthetic technique
remifentanil vs. alfentanil (OC) [Kovac, Azad, Steer, Witkowski, Batenhorst, McNeal], 532
ketorolac, intravenous
intraoperative vs. postoperative administration in myomectomy and (OC) [Balestrieri, Simmons, Hill, Brown, Jackson, Brull, Maneatis, Shefrin, Bynum, O'Hara], 358
Hysteroscopy
intervention of air embolism during (CR) [Behnia, Holley, Milad], 248

I
In vitro fertilization
embryo transfer with donor oocytes
propofol-based sedation technique in (OC) [Rosenblatt, Bradford, Bodian, Grunfeld], 614

Inflammatory response
in abdominal surgery
increase of interleukin-6, interleukin-8, and granulocyte colony-stimulating factor during (OC) [Kato, Suzuki, Murakami, Akama, Matsukawa, Hashimoto], 293
Informed consent
perioperative information
desire for; survey of adult patients (OC) [Kain, Kosarussavadi, Hernandez-Conte, Hofstadter, Mayes], 467
Injection pain
from propofol
reduction of, with double lumen IV set (OC) [Angst, Mackey, Zupfer, Tataru, Brock-Utne], 462
from rocuronium
spontaneous movements and; prior administration of fentanyl decreases (OC) [Borgeat, Kwiatkowski, Ruetsch], 650
Insomnia, transient
zolpidem, triazolam, and placebo; comparison of, given the night before surgery (OC) [Morgan, Chapados, Chung, Gauthier, Knox, Le Lorier], 97
Intensive care unit
intrathecal opioids
effect of morphine or fentanyl on extubation, analgesia, and length of stay in, after coronary artery bypass grafting (OC) [Shroff, Rooke, Bishop], 415
length of stay in
combined hemodilution and hypotension as monitored with jugular bulb oxygen saturation, EEG, and ECG decreases transfusion volume and, in major orthopedic surgery (OC) [Shapira, Gurman, Artru, Ousyscher, Lam, Kollender, Meller], 643
Intubation, bronchial
and distal tracheal rupture (CR) [Lobato, Risley, III, Stoltzfus], 155
Intubation, intratracheal
cannula, jet ventilation
laryngotracheal anesthesia device used as, for removal of fragmented intratracheal T-tube (CR) [Brown, Paige], 239
clonidine
effects of intravenous and oral, on hemodynamic and plasma-catecholamine response due to (OC) [Zalunardo, Zollinger, Spahn, Seifert, Radjaipour, Gautschi, Pasch], 143
difficult
pseudocholinesterase hyperactivity cause of (CR) [Yao, Savarese], 328
end-tidal anesthetic concentration after
effects of gas flow monitoring on, and operating room pollution (OC) [Siker, Sprung, Escorcia, Koch, Vukcevich], 228
endotracheal tube changer
J-wire cover as alternative (CR) [Cherian, Mathews], 586
endotracheal tube length, greater
eases intubation via laryngeal mask airway in pediatrics (LE) [Yamashita], 432
induction
etomidate vs. thiopental sodium; effects on (OC) [Jellish, Riche, Salord, Ravussin, Tempelhoff], 36
intrathecal opioids
effect of morphine or fentanyl on, in coronary artery bypass grafting (OC) [Shroff, Rooke, Bishop], 415
jet ventilation, transtracheal
emergency, in high-grade airway obstruction (LE) [Biro, Moe], 604
laryngeal mask airway
laryngo-pharyngeal complaints following (OC) [Rieger, Brunne, Hass, Brummer, Spies, Striebel, Eyrich], 42
neuromuscular relaxants for
succinylcholine, rocuronium, and mivacurium (RA) [Bevan], 36S
pediatric
intravenous lidocaine for (OC) [Warner, Balch, Davidson], 270
lightwand for (OC) [Fisher, Tunkel], 275
with mivacurium 0.3 mg/kg (OC) [Simhi, Brandom, Lloyd, Gronert, Woelful], 576
rapid-sequence
double-blind comparison of rocuronium and succinylcholine (OC) [Weiss, Gratz, Goldberg, Afshar, Insinga, Larijani], 379
sore throat incidence
reduction of, with endotracheal tube cuff prefilled with lidocaine (OC) [Navarro, Baughman], 394
Ischemia
brain
neurologic implications of diabetic hyperglycemia, during surgical procedures at increased risk for (SA) [Sieber], 334
myocardial
and coronary artery bypass grafting
detection of, by transesophageal echocardiography (OC) [Hogue, Jr., Davila-Roman], 388
esophageal electrocardiography in wave recognition and use of intraoperative unipolar (OC) [Jain], 487
Isoflurane
catecholamines
response of renin-angiotensin and, during controlled hypotension induced by Prostaglandin E_1 and hemodilution (OC) [Fukusaki, Maekawa, Kobayashi, Hara, Sumikawa], 321
oxygen consumption, total-body
effects of mild hypothermia and epidural-general anesthesia (OC) [Steinbrook, Seigne], 559

J
Jehovah's Witness patients
platelet and plasmapheresis use, in scoliosis surgery (CR) [Safwat, Reitan, Benson], 510
Journal of Clinical Anesthesia
acknowledgment of reviewers, volume 9, 678
authors' index, volume 9, 681
subject index, volume 9, 684

K
K, Vitamin
and cardiovascular collapse (CC) [Songy, Jr., Layon, Moreb], 514
Ketorolac
intravenous
intraoperative vs. postoperative administration in gynecologic abdominal surgery (OC) [Balestrieri, Simmons, Hill, Brown, Jackson, Brull, Maneatis, Shefrin, Bynum, O'Hara], 358
Kidney
uremia
perioperative hypercoagulability in; a viscoelastic study (OC) [Pivalizza, Abramson, Harvey], 442

L
Laparoscopic cholecystectomy
for severe cardiac disease
hemodynamic changes (OC) [Hein, Joshi, Ramsay, Fox, Gawey, Hellman, Arnold], 261
Laryngeal mask airway (LMA)
contamination of
gloves, laryngoscopes, and (LE) [Ben-David, Gaitini], 345
endotracheal intubation with
laryngo-pharyngeal complaints after (OC) [Rieger, Brunne, Hass, Brummer, Spies, Striebel, Eyrich], 42
in pediatrics
eases intubation together with longer endotracheal tube length in pediatrics (LE) [Yamashita], 432
removal of; deep anesthesia vs. awake (OC) [Splinter, Reid], 4

longevity of
and pilot-balloon failure (LE) [Wat, Brimacombe, Gee], 432
positive pressure ventilation
and size 5 LMA (OC) [Brimacombe], 113
Laryngoscope
contamination of
gloves, laryngeal masks, and (LE) [Ben-David, Gaitini], 345
Laryngoscopy
and anesthesia induction
effects of etomidate or thiopental sodium on (OC) [Jellish, Riche, Salord, Ravussin, Tempelhoff], 36
Laryngospasm
and negative pressure pulmonary edema
acute upper airway obstruction causes (OC) [Deepika, Kenaan, Barrocas, Fonseca, Bikhazi], 403
Laryngotracheal anesthesia device
used as jet ventilation cannula for removal of fragmented intratracheal T-tube (CR) [Brown, Paige], 239
Latex allergy
exposure from anesthesia equipment (LE) [Williams], 259 (Reply [Setzer], 259)
Lesch-Nyhan syndrome
propofol for outpatient radiography (CR) [Williams, Hankerson, Ernst, Zametkin], 61
Lidocaine
and electroconvulsive therapy
hemodynamic responses to; relation of seizure activity to (OC) [Fu, Stool, White, Husain], 653
endotracheal intubation
intravenous
in pediatrics (OC) [Warner, Balch, Davidson], 270
local
prefilled endotracheal tube cuff reduces sore throat (OC) [Navarro, Baughman], 394
Lightwand
pediatric intubation with (OC) [Fisher, Tunkel], 275
Lipectomy, suction
dysrhythmias, malignant ventricular
in isovaleric acidemia patient undergoing (CR) [Weinberg, Laurito, Geldner, Pygon, Burton], 668
Lipidemia
hyperlipidemia
effect of oxygen solubility and, on perioperative arterial blood gas tensions (CR) [Watkins-Pitchford, Kelly, Brull], 331
Lipoma, midline lumbar
and spinal anesthesia (LE) [Cohen, Adams, Toon], 170
Liver transplantation
arteriovenous obstruction
of arm, caused by venovenous bypass (CR) [Neelakanta, Csete, Busuttil], 507
Lumen, intravenous
double, single
propofol injection pain reduction with double IV set (OC) [Angst, Mackey, Zupfer, Tataru, Brock-Utne], 462
Lung
asthmatic patient
bilateral lung collapse during thoracotomy in (CR) [Nesbitt, Temeck, Williams], 499
pulmonary edema
negative pressure, caused by acute upper airway obstruction (OC) [Deepika, Kenaan, Barrocas, Fonseca, Bikhazi], 403
resection
intraoperative management of, with hypercapnia and high-frequency oscillatory ventilation and one-lung isolation (CR) [Tietjen, Simon, Helfaer], 69
tracheal rupture
selective bronchial intubation for (CR) [Lobato, Risley, III, Stoltzfus], 148

M
Malignant hyperthermia (MH)
continued puzzles in (ED) [Antognini, Gronert], 1
family history of
sudden unexplained death (CR) [Ryan, Tedeschi], 66
ritanserin pretreatment
effect of, on skeletal muscles of patients susceptible to MH (OC) [Wappler, Scholz, Oppermann, von Richthofen, Steinfath, Schulte am Esch], 306
Malpractice
pediatrics
neurosurgery
blood, bone, and dura: anesthesia responsibility and (DD) [Liang, Rockoff], 597
sudden death
anesthetic death due to unsuspected myocarditis (LE) [Critchley], 676 (Reply [Liang] 677)
spinal anesthesia
resident case (DD) [Liang, Laurito], 341
ulnar nerve injury
and abdominal surgery (DD) [Liang, Sunder], 671
Meningitis, nosocomial
and peribulbar block for cataract surgery (LE) [Péronnet, Kisterman], 675
Metoclopramide
pediatric
vs. ondansetron and droperidol for emesis prevention in strabismus surgery (OC) [Scuderi, Weaver, Jr., James, Mims, Elliott, Weeks], 551
Midazolam
and flumazenil
in psychomotor function (OC) [Gupta, Lind, Eklund, Lennmarken], 21
and propofol
in outpatient general anesthesia; comparison of combination vs. propofol alone (OC) [Reinhart, Grum, Berry, Lensch, Marchbanks, Zsigmond], 130
Minimum alveolar concentration
drug interactions: volatile anesthetics and opioids (RA) [Glass, Gan, Howell, Ginsberg], 18S
Mivacurium
intubation with
vs. succinylcholine and rocuronium; onset and intubation (RA) [Bevan], 36S
in pediatrics; with mivacurium 0.3 mg/kg (OC) [Simhi, Brandom, Lloyd, Gronert, Woelful], 576
monitoring of
flexor hallucis brevis vs. adductor pollicis as site for (OC) [Kern, Johnson, Orr, Westenskow], 383
Monitor, vapor
and measurement of new vapor anesthetics (LE) [Gyermek], 171
Monitored anesthesia care
hepatocellular cancer and (OC) [Dougherty, Mikolajek, Curley], 220
propofol vs. remifentanil during (OC) [Smith, Avramov, White], 148
sevoflurane and; new technique (LE) [Philip, Myers, Philip], 608
Morphine
epidural
after abdominal surgery (OC) [Backlund, Lindgren, Kajimoto, Rosenberg], 30
in pediatrics
intrathecal
vs. nalbuphine, and frontal encephalocele repair (OC) [Tobias, Mateo, Ferrer, Jimenez, Barone, Reyes de Castro], 280
intrathecal
vs. nalbuphine, in pediatrics
after frontal encephalocele repair (OC) [Tobias, Mateo, Ferrer, Jimenez, Barone, Reyes de Castro], 280
effects of, on extubation time, analgesia, and intensive care unit stay after coronary artery bypass

grafting (OC) [Shroff, Rooke, Bishop], 415
local
postthyroidectomy
comparison of analgesia with buprenorphine, bupivacaine, and (OC) [Lacoste, Thomas, Kraimps, Chabin, Ingrand, Barbier, Fusciardi], 189
Myocardial function
sarcoidosis
in pregnancy (CC) [Euliano, White, Aleixo], 78

N
Nalbuphine
in pediatrics
vs. intrathecal morphine after frontal encephalocele repair (OC) [Tobias, Mateo, Ferrer, Jimenez, Barone, Reyes de Castro], 280
Nausea and vomiting
granisetron
for control of, after general anesthesia (OC) [Taylor, Rosen, Diemunsch, Thorin, Houweling], 658
gynecological surgery
dexamethasone, ondansetron, and propofol for (OC) [McKenzie, Riley, Tantisira, Hamilton], 15
dolasetron mesilate for (OC) [Diemunsch, D'Hollander, Paxton, Schoeffler, Wessel, Navé, Brown, Hahne], 365
middle ear procedures
ondansetron vs. droperidol and placebo for prevention of (OC) [Jellish, Thalji, Fluter, Leonetti], 451
pediatrics
fentanyl oral transmucosal premedication as cause of (OC) [Malviya, Voepel-Lewis, Huntington, Stewart, Green], 374
ondansetron dose-response curve in high-risk patients undergoing adenoidectomy and tonsillectomy (OC) [Lawhorn, Kymer, Stewart, Stoner, Shirey, Volpe], 637
thyroid and parathyroid surgery
propofol reduces (OC) [Sonner, Hynson, Clark, Katz], 398
Neonatology
lightwand intubation in (OC) [Fisher, Tunkel], 275
Neostigmine
intrathecal
for postoperative analgesia in orthopedic surgery (OC) [Lauretti, Mattos, Reis, Prado], 473
Nerve, ulnar, injury
and abdominal surgery; malpractice case and discussion (DD) [Liang, Sunder], 671
Nerve stimulators
false low pulse oximeter readings associated with use of peripheral and evoked-potential stimulators (CC) [Keidan, Sidi, Gravenstein, Tremper], 591
Neural networks
and intravenous anesthetics
feedback control, fuzzy logic, and (RA) [Westenskow], 33S
Neurological status
assessment of
during carotid endarterectomy (LE) [Halimi, Guedj], 431
Neuromuscular block
monitoring of
train-of-four count and kinetic-dynamic modelling (RA) [Shanks], 40S
recovery of
50-Hz and 100-Hz posttetanic twitch after profound (OC) [Fernandes, Stout, Silverman, Brull], 48
Neuromuscular relaxants
and intubation
succinylcholine, rocuronium, and mivacurium; onset and intubation (RA) [Bevan], 36S
Neurosurgery, pediatric
blood, bone, and dura: anesthesia responsibility and (DD) [Liang, Rockoff], 597
Nondepolarizing neuromuscular relaxants
pipecuronium
dose-response and maintenance needs in infants, children, and adults (OC) [Meretoja, Erkola], 125
vecuronium
recovery of 50-Hz and 100-Hz posttetanic twitch after profound neuromuscular block (OC) [Fernandes, Stout, Silverman, Brull], 48
Nonsteroidal antiinflammatory drugs (NSAIDs)
hyporeninemic hypoaldosteronism induced by
accidental shock during epidural anesthesia in patient suffering from (CR) [Tan, Chou, Perng], 424
ketorolac tromethamine
intraoperative vs. postoperative dose of, for gynecologic abdominal surgery (OC) [Balestrieri, Simmons, Hill, Brown, Jackson, Brull, Maneatis, Shefrin, Bynum, O'Hara], 358

O
Occupational infection risk
gloving practice
observational study, at induction of anesthesia (OC) [Ben-David, Gaitini], 527
human immunodeficiency syndrome
exposure risk in health care workers compliance with precautions (ED) [Layon], 525
latex allergy
exposure from anesthesia equipment (LE) [Williams], 259 (Reply [Setzer], 259)
Ocular pressure
and propofol
in trabeculectomy (OC) [Lauretti, Lauretti, Lauretti-Filho], 289
Ondansetron
vs. propofol, and dexamethasone in (OC) [McKenzie, Riley, Tantisira, Hamilton], 15
middle ear procedures
vs. droperidol and placebo for emesis prevention (OC) [Jellish, Thalji, Fluter, Leonetti], 451
pediatric
dose-response curve of, in high-risk patients undergoing adenoidectomy and tonsillectomy (OC) [Lawhorn, Kymer, Stewart, Stoner, Shirey, Volpe], 637
vs. metoclopramide and droperidol for emesis prevention in strabismus surgery (OC) [Scuderi, Weaver, Jr., James, Mims, Elliott, Weeks], 551
Oocyte donation
and embryo transfer
propofol; appropriate for? (ED) [Hein, Putman], 611
propofol-based sedation technique in (OC) [Rosenblatt, Bradford, Bodian, Grunfeld], 614
Operating room
overage reduction of supplies
assessment of economic impact of, in (OC) [Rosenblatt, Chavez, Tenney, Silverman], 478
pollution
gas flow management; effects of (OC) [Siker, Sprung, Escorcia, Koch, Vukcevich], 228
Ophthalmic surgery
cataract
peribulbar block
efficacy and safety of, prior to (OC) [Hendrick, Rosenberg, Lebenbom-Mansour], 285
peribulbar block
efficacy and safety of, prior to cataract surgery (OC) [Hendrick, Rosenberg, Lebenbom-Mansour], 285
strabismus, pediatric
intravenous lidocaine for endotracheal intubation (OC) [Warner, Balch, Davidson], 270
trabeculectomy, outpatient
propofol decreases ocular pressure during (OC) [Lauretti, Lauretti, Lauretti-Filho], 289

Opioid
interactions
propofol and; pharmacokinetic and pharmacodynamic (RA) [Vuyk], 23S
volatile anesthetics and (RA) [Glass, Gan, Howell, Ginsberg], 18S
intrathecal
effects of, on extubation time, analgesia, and intensive care unit stay after coronary artery bypass grafting (OC) [Shroff, Rooke, Bishop], 415
transdermal preparation
patient safety and analgesic efficacy after continuous delivery of (OC) [Sevarino, Paige, Sinatra, Silverman], 173
Orthopedics
anterior cruciate ligament repair
bupivacaine via femoral nerve catheter for analgesia (OC) [Tetzlaff, Andrish, O'Hara, Jr., Dilger, Yoon], 542
arthroplasty, knee and total hip
normothermia during
active warming maintains, for knee and (OC) [Berti, Casati, Torri, Aldegheri, Lugani, Fanelli], 482
hypertension, tourniquet-induced
autonomic nervous system changes affected by, as detected by power spectral heart rate analysis (OC) [Tetzlaff, O'Hara Jr., Yoon, Schubert], 138
ICU stay, duration
and transfusion
combined hemodilution and hypotension decreases, in major orthopedic surgery (OC) [Shapira, Gurman, Artru, Ousyscher, Lam, Kollender, Meller], 643
postoperative analgesia
intrathecal neostigmine for (OC) [Lauretti, Mattos, Reis, Prado], 473
Oxycodone
after abdominal surgery (OC) [Backlund, Lindgren, Kajimoto, Rosenberg], 30
vs. tramadol; comparison of respiratory effects of (OC) [Tarkkila, Tuominen, Lindgren], 582
Oxygen
consumption, total-body
effects of mild hypothermia and epidural-general anesthesia after isoflurane anesthesia (OC) [Steinbrook, Seigne], 559
saturation
herniorrhaphy
in premature infants; postoperative oxygen desaturation needing intervention during (LE) [Sukhani, Pappas, Black, Noles], 520
in pregnancy
epidural vs. opioid analgesia for labor (LE) [Lurie, Priscu, Hagay], 87
jugular bulb
hemodilution-hemodilution as monitored by, decreases transfusion volume and length of ICU stay in major orthopedic surgery (OC) [Shapira, Gurman, Artru, Ousyscher, Lam, Kollender, Meller], 643
pulse oximeter function
comparison of seven models during desaturation and resaturation (OC) [Trivedi, Ghouri, Lai, Shah, Barker], 184
effects of motion, ambient light, and hypoperfusion on (OC) [Trivedi, Ghouri, Shah, Lai, Barker], 179
solubility
and perioperative arterial blood gas tensions
effect of hyperlipidemia and, on (CR) [Watkins-Pitchford, Kelly, Brull], 331

P
Pain, injection
and propofol
reduction of, with double lumen IV set (OC) [Angst, Mackey, Zupfer, Tataru, Brock-Utne], 462
Pain, postoperative
ketherolac tromethamine
intraoperative vs. postoperative dose of, for gynecologic abdominal surgery (OC) [Balestrieri, Simmons, Hill, Brown, Jackson, Brull, Maneatis, Shefrin, Bynum, O'Hara], 358
neostigmine, intrathecal
in orthopedic surgery (OC) [Lauretti, Mattos, Reis, Prado], 473
parenteral opioids
continuous delivery with transdermal opioid preparation (OC) [Sevarino, Paige, Sinatra, Silverman], 173
pediatric
intrathecal morphine vs. nalbuphine after frontal encephalocele repair (OC) [Tobias, Mateo, Ferrer, Jimenez, Barone, Reyes de Castro], 280
Patient
anxiety of
concerns about ambulatory surgery (LE) [Zvara, Manning, Jr, Stewart, McKinley, Cran], 88
desire for perioperative information; survey of adult patients (OC) [Kain, Kosarussavadi, Hernandez-Conte, Hofstadter, Mayes], 467
Jehovah's witness
platelet and plasmapheresis, in scoliosis surgery (CR) [Safwat, Reitan, Benson], 510
perioperative information for
desire for; survey of adult patients (OC) [Kain, Kosarussavadi, Hernandez-Conte, Hofstadter, Mayes], 467
positioning
venous air embolism and (SA) [Palmon, Moore, Lundberg, Tuong], 251
safety of, pediatric
and facemasks, scented (LE) [Hinkle], 521
tracking technology, real-time
in ambulatory surgery (SA) [Rotondi, Brindis, Cantees, DeRiso, Ilkin, Palmer, Gunnerson, Watkins], 159
Patient-controlled analgesia
and transdermal opioid preparation
effect on patient safety and analgesic efficacy (OC) [Sinatra, Paige, Sinatra, Silverman], 173
Pediatrics
ambulatory surgery
cancellation of
emotional and economic implications for patients and families (OC) [Tait, Voepel-Lewis, Munro, Gutstein, Reynolds], 213
genitourinary
caudal epidural butorphanol vs. bupivacaine alone, for (OC) [Lawhorn, Stoner, Schmitz, Brown, Jr., Stewart, Volpe, Shirey], 103
analgesia, postoperative
intrathecal morphine vs. on-demand nalbuphine after frontal encephalocele repair (OC) [Tobias, Mateo, Ferrer, Jimenez, Barone, Reyes de Castro], 280
cardiac arrest
in unrecognized rhabdomyolysis (CR) [Warner, Reiner, Beach], 501
sudden death
anesthetic death due to unsuspected myocarditis (LE) [Critchley], 676 (Reply [Liang] 677)
emesis prevention
droperidol, ondansetron, and metoclopramide, in strabismus surgery (OC) [Scuderi, Weaver, Jr., James, Mims, Elliott, Weeks], 551
ondansetron dose-response curve in high-risk patients undergoing adenoidectomy and tonsillectomy (OC) [Lawhorn, Kymer, Stewart, Stoner, Shirey, Volpe], 637

endotracheal intubation
greater tube length eases intubation via laryngeal mask airway in (LE) [Yamashita], 432
intravenous lidocaine for (OC) [Warner, Balch, Davidson], 270
lightwand, for infants and children (OC) [Fisher, Tunkel], 275
mivacurium 0.3 mg/kg for (OC) [Simhi, Brandom, Lloyd, Gronert, Woelful], 576
facemasks, scented
and patient safety (LE) [Hinkle], 521
herniorrhaphy
in premature infants; postoperative oxygen desaturation needing intervention during (LE) [Sukhani, Pappas, Black, Noles], 520
laryngeal mask airway
removal of; deep anesthesia vs. awake (OC) [Splinter, Reid], 4
neurosurgery
blood, bone, and dura: anesthesia responsibility and (DD) [Liang, Rockoff], 597
pipecuronium
dose-response and maintenance needs in infants, children, and adults (OC) [Meretoja, Erkola], 125
pregnancy testing, preoperative
survey of current practice (OC) [Kempen], 546
premedication
fentanyl oral transmucosal premedication (OC) [Malviya, Voepel-Lewis, Huntington, Stewart, Green], 374
preoperative testing
analysis of practice in elective surgery (OC) [Patel, DeWitt, Hannallah], 569
Peribulbar block
single-injection
for cataract surgery (OC) [Hendrick, Rosenberg, Lebenbom-Mansour], 285
trabeculectomy, outpatient
propofol lessens ocular pressure during (OC) [Lauretti, Lauretti, Lauretti-Filho], 289
Perioperative period
information about
cross-sectional survey of adult patients (OC) [Kain, Kosarussavadi, Hernandez-Conte, Hofstadter, Mayes], 467
management of
and patient routing systems: a method for continual improvement of patient flow and resource management (SA) [Rotondi, Brindis, Cantees, DeRiso, Ilkin, Palmer, Gunnerson, Watkins], 159
Personnel
psychology and physician performance
anesthesia resident selection; study of the critical incident technique (OC) [Altmaier, From, Pearson, Gorbatenko-Roth, Ugolini], 629
Pharynx
and laryngeal mask airway
laryngo-pharyngeal complaints after use of (OC) [Rieger, Brunne, Hass, Brummer, Spies, Striebel, Eyrich], 42
Pipecuronium
dose-response and maintenance needs in infants, children, and adults (OC) [Meretoja, Erkola], 125
Plasmapheresis
and cardiac transplantation
platelet-rich plasma transfusion from organ donor (OC) [Tassani, Otto, Székely, Meiser, Uberfuhr, Pfeiffer, Janicke], 409
Jehovah's Witness patients
platelet and, in scoliosis surgery (CR) [Safwat, Reitan, Benson], 510
Platelet
and cardiac transplantation
platelet-rich plasma transfusion from organ donor (OC) [Tassani, Otto, Székely, Meiser, Uberfuhr, Pfeiffer, Janicke], 409
Jehovah's Witness patients
plasmapheresis and, in scoliosis surgery (CR) [Safwat, Reitan, Benson], 510
Postanesthesia care unit
chest radiography, routine
utility of, in (OC) [Barak, Markovits, Guralnik, Rozenberg, Ziser], 351
Postoperative care
routine chest radiography
utility of, in postanesthesia care unit (OC) [Barak, Markovits, Guralnik, Rozenberg, Ziser], 351
Posttetanic twitch
recovery of 50-Hz and 100-Hz, after profound neuromuscular block (OC) [Fernandes, Stout, Silverman, Brull], 48
Preadmission evaluation centers
anesthesiologist-directed
efficacy and financial benefit of (OC) [Starsnic, Guarnieri, Norris], 299
Precautions, universal
gloving practice
observational study, at induction of anesthesia (OC) [Ben-David, Gaitini], 527
human immunodeficiency syndrome
exposure risk in health care workers
compliance with precautions (ED) [Layon], 525
Pregnancy
coagulopathy, postpartum
thrombelastography (CR) [Sharma, Vera, Stegall, Whitten], 243
embryo transfer
propofol; appropriate for? (ED) [Hein, Putman], 611
propofol-based sedation technique in (OC) [Rosenblatt, Bradford, Bodian, Grunfeld], 614
epidural block
gravity flow technique vs. bolus injection (OC) [Cohen, Amar], 623
multi-orifice catheters for labor analgesia and cesarean delivery (OC) [Segal, Eappen, Datta], 109
intravascular injection
gravity flow technique vs. bolus injection to minimize or prevent (OC) [Cohen, Amar], 623
neonatal effects of labor analgesics
ropivacaine vs. bupicacaine
for vaginal delivery and (OC) [Gaiser, Venkateswaren, Cheek, Persiley, Buxbaum, Hedge, Joyce, Gutsche], 564
oxygen saturation
epidural vs. opioid analgesia for labor (LE) [Lurie, Priscu, Hagay], 87
preoperative testing for; survey of current practice (OC) [Kempen], 546
risk index for anesthesia during (OC) [Kempen, Norton, Vu], 194
ropivacaine vs. bupicacaine
for labor and vaginal delivery (OC) [Gaiser, Venkateswaren, Cheek, Persiley, Buxbaum, Hedge, Joyce, Gutsche], 564
sarcoidosis in (CC) [Euliano, White, Aleixo], 78
thrombelastography
management of postpartum coagulopathy with (CR) [Sharma, Vera, Stegall, Whitten], 243
Preoperative evaluation
preoperative testing for; survey of current practice (OC) [Kempen], 546
shared vision for change (ED) [Roizen], 435
undicated; ASA physical status and financial implications (OC) [Vogt, Henson], 437
Priming technique
and rocuronium
acceleration of neuromuscular blockade with (OC) [Griffith, Joshi, Whitman, Garg], 204
Propofol
gynecological surgery
dexamethasone, and ondansetron for emesis during (OC) [McKenzie, Riley, Tantisira, Hamilton], 15

embryo transfer with donor oocytes
appropriate anesthetic for? (ED) [Hein, Putman], 611
propofol-based sedation technique in (OC) [Rosenblatt, Bradford, Bodian, Grunfeld], 614
injection pain of
reduction of, with double lumen IV set (OC) [Angst, Mackey, Zupfer, Tataru, Brock-Utne], 462
Lesch-Nyhan syndrome
for outpatient radiography (CR) [Williams, Hankerson, Ernst, Zametkin], 61
midazolam and
outpatient general anesthesia (OC) [Reinhart, Grum, Berry, Lensch, Marchbanks, Zsigmond], 130
monitored care
in hepatocellular cancer (OC) [Dougherty, Mikolajek, Curley], 220
nausea and vomiting
in thyroid and parathyroid surgery; reduces (OC) [Sonner, Hynson, Clark, Katz], 398
opioids and
pharmacokinetic and pharmacodynamic interactions of (RA) [Vuyk], 23S
vs. remifentail
during monitored anesthesia care (OC) [Smith, Avramov, White], 148
tachyphylaxis from
during ethanol withdrawal (CR) [Currier, Bevacqua], 420
trabeculectomy, outpatient
ocular pressure decreased by (OC) [Lauretti, Lauretti, Lauretti-Filho], 289
Prostaglandins
and isoflurane
response of catecholamine and renin-angiotensin response during controlled hypotension induced by hemodilution and (OC) [Fukusaki, Maekawa, Kobayashi, Hara, Sumikawa], 321
Pseudocholinesterase hyperactivity and succinylcholine resistance
cause of difficult intubation (CR) [Yao, Savarese], 328
Psychomotor tests
and effects of midazolam and flumazenil (OC) [Gupta, Lind, Eklund, Lennmarken], 21
Pulmonary edema, acute
and bulbar paralysis after local epinephrine infiltration (CR) [Tajima, Sato, Miyabe], 236
Pulse oximeter
performance of
comparison of seven models during desaturation and resaturation (OC) [Trivedi, Ghouri, Lai, Shah, Barker], 184
effects of motion, ambient light, and hypoperfusion on function of (OC) [Trivedi, Ghouri, Shah, Lai, Barker], 179
false reading of, and concomitant use of peripheral nerve stimulator and evoked-potential stimulator (CC) [Keidan, Sidi, Gravenstein, Tremper], 591
Pulse oximetry
false readings
concomitant use of peripheral nerve stimulator and evoked-potential stimulator (CC) [Keidan, Sidi, Gravenstein, Tremper], 591
hypoxemia, arterial
alteration of vital signs (OC) [Thrush, Downs, Hodges, Smith], 355
Puncture headache, postdural
and adrenocorticotropic hormone (ACTH) (LE) [Gupta, Agrawal], 258
epidural blood patch for AIDS patient (LE) [Parris], 87

Q

R

Radiography, chest
routine
utility of, in postanesthesia care unit (OC) [Barak, Markovits, Guralnik, Rozenberg, Ziser], 351
Rape, adolescent
preoperative pregnancy testing; survey of current practice (OC) [Kempen], 546
Rapid-sequence induction
rocuronium vs. succinylcholine
and timing principle variation (OC) [Nelson, Morell, Butterworth IV], 317
Remifentanil
balanced anesthetic technique
in total abdominal hysterectomy
vs. alfentanil (OC) [Kovac, Azad, Steer, Witkowski, Batenhorst, McNeal], 532
vs. propofol
during monitored anesthesia care (OC) [Smith, Avramov, White], 148
Renin-angiotensin-aldosterone system hyporeninemic hypoaldosteronism
NSAID-induced
accidental shock during epidural anesthesia in patient suffering from (CR) [Tan, Chou, Perng], 424
isoflurane and
response of catecholamine and, during controlled hypotension induced by Prostaglandin E_1 and hemodilution (OC) [Fukusaki, Maekawa, Kobayashi, Hara, Sumikawa], 321
Residency education
selection of anesthesia residents; study of the critical incident technique (OC) [Altmaier, From, Pearson, Gorbatenko-Roth, Ugolini], 629
Resource utilization
patient routing systems and perioperative process (SA) [Rotondi, Brindis, Cantees, DeRiso, Ilkin, Palmer, Gunnerson, Watkins], 159
Respiratory depression
remifentanil vs. propofol (OC) [Smith, Avramov, White], 148
tramadol vs. oxycodone (OC) [Tarkkila, Tuominen, Lindgren], 582
Rhabdomyolysis
pediatric
cardiac arrest in unrecognized (CR) [Warner, Reiner, Beach], 501
Ritanserin (5-HT_2 receptor antagonist)
pretreatment with
effect of, on serotonin receptor agonist DOI on skeletal muscles in patients susceptible to malignant hyperthermia (OC) [Wappler, Scholz, Oppermann, von Richthofen, Steinfath, Schulte am Esch], 306
Rocuronium
injection pain from
fentanyl preinduction injection decreases spontaneous movements associated with (OC) [Borgeat, Kwiatkowski, Rutetsch], 650
intubation with
vs. succinylcholine and mivacurium (RA) [Bevan], 36S
priming technique and
acceleration of neuromuscular blockade with (OC) [Griffith, Joshi, Whitman, Garg], 204
vs. succinylcholine
double-blind comparison of, in rapid-sequence intubation (OC) [Weiss, Gratz, Goldberg, Afshar, Insinga, Larijani], 379
in rapid-sequence induction (OC) [Nelson, Morell, Butterworth IV], 317
Ropivacaine
vs. bupicacaine
for labor and vaginal delivery (OC) [Gaiser, Venkateswaren, Cheek, Persiley, Buxbaum, Hedge, Joyce, Gutsche], 564

S

Saphenous vein stripping
regional anesthesia

combined popliteal and posterior cutaneous nerve of the thigh block; spinal anesthesia alternative for (OC) [Vloka, Hadzic, Mulcare, Lesser, Koorn, Thys], 618

Sarcoidosis
in pregnancy (CC) [Euliano, White, Aleixo], 78

Scoliosis surgery
in Jehovah's witness patients
platelet and plasmapheresis use for (CR) [Safwat, Reitan, Benson], 510

Serotonin
and ritanserin pretreatment
effect of, on skeletal muscles of patients susceptible to malignant hyperthermia (OC) [Wappler, Scholz, Oppermann, von Richthofen, Steinfath, Schulte am Esch], 306

Sevoflurane
and monitored anesthesia care; new technique (LE) [Philip, Myers, Philip], 608

Sinus rhythm
incidental conversion from atrial fibrillation to, during external venous catheterization (CR) [Lee, Cozine], 664

SIVA (see Society of Intravenous Anesthesia)

Skeletal muscle
mivacurium
monitoring of
flexor hallucis brevis vs. adductor pollicis as site for (OC) [Kern, Johnson, Orr, Westenskow], 383
ritanserin pretreatment
effect of serotonin receptor agonist DOI on, in patients susceptible to malignant hyperthermia (OC) [Wappler, Scholz, Oppermann, von Richthofen, Steinfath, Schulte am Esch], 306

Sleep patterns
preoperative
zolpidem, triazolam, and placebo; comparison of, given the night before surgery (OC) [Morgan, Chapados, Chung, Gauthier, Knox, Le Lorier], 97

Society of Intravenous Anesthesia (SIVA)
aims and goals (ED) [Glass, Howie], 1S

Sonoclot blood analyzer
in uremia
perioperative hypercoagulability in; a viscoelastic study (OC) [Pivalizza, Abramson, Harvey], 442

Sore throat
after endotracheal intubation
reduced with endotracheal tube cuff prefilled with lidocaine (OC) [Navarro, Baughman], 394

Spectrum analysis
and abdominal surgery
heart rate, heart rate variability, and blood pressure during perioperative stressor events (OC) [Schubert, Palazzolo, Brum, Ribeiro, Tan], 52

Strabismus surgery, pediatric
emesis prevention
droperidol, ondansetron, and metoclopramide, in strabismus surgery (OC) [Scuderi, Weaver, Jr., James, Mims, Elliott, Weeks], 551
intubation for
intravenous lidocaine for (OC) [Warner, Balch, Davidson], 270

Succinylcholine
and difficult intubation
pseudocholinesterase hyperactivity cause of (CR) [Yao, Savarese], 328
vs. rocuronium
double-blind comparison of, in rapid-sequence intubation (OC) [Weiss, Gratz, Goldberg, Afshar, Insinga, Larijani], 379
in rapid-sequence induction (OC) [Nelson, Morell, Butterworth IV], 317
vs. rocuronium and mivacurium
for onset and intubation (RA) [Bevan], 36S

Sudden death, pediatric
anesthetic death due to unsuspected myocarditis (LE) [Critchley], 676 (Reply [Liang] 677)

Surgery, ambulatory
admission of patients
prolonged surgery and (OC) [Mingus, Bodian, Bradford, Eisenkraft], 446
bone marrow harvesting (LE) [Maurer, Bolwell], 345
general anesthesia
midazolam with propofol or propofol alone (OC) [Reinhart, Grum, Berry, Lensch, Marchbanks, Zsigmond], 130
patient routing systems
and perioperative process (SA) [Rotondi, Brindis, Cantees, DeRiso, Ilkin, Palmer, Gunnerson, Watkins], 159
pediatric
cancellation of; emotional and economic implications for patients and families (OC) [Tait, Voepel-Lewis, Munro, Gutstein, Reynolds], 213
neurosurgery
blood, bone, and dura: anesthesia responsibility and (DD) [Liang, Rockoff], 597
surgical setting
preoperative concerns of patients (LE) [Zvara, Manning, Jr, Stewart, McKinley, Cran], 88
trabeculectomy
propofol lessens ocular pressure (OC) [Lauretti, Lauretti, Lauretti-Filho], 289

Surgical services
patient routing systems
a method for continual improvement of resource utilization and (SA) [Rotondi, Brindis, Cantees, DeRiso, Ilkin, Palmer, Gunnerson, Watkins], 159

T

Tachycardia
in coronary artery bypass grafting
and esophageal electrocardiography; wave recognition and use of intraoperative unipolar (OC) [Jain], 487

Tachyphylaxis, acute
propofol sedation causing, during ethanol withdrawal (CR) [Currier, Bevacqua], 420

Temperature monitoring
in arthroplasty, knee and total hip
active warming maintains normothermia during combined epidural-general anesthesia (OC) [Berti, Casati, Torri, Aldegheri, Lugani, Fanelli], 482
in cardiopulmonary bypass
jugular venous vs. nasopharyngeal (OC) [Grocott, Newman, Croughwell, White, Lowry, Reves], 312

Testing
in pregnancy
preoperative; survey of current practice (OC) [Kempen], 546
risk index for, during anesthesia (OC) [Kempen, Norton, Vu], 194
preoperative
in pediatrics; analysis of current practice for elective surgery (OC) [Patel, DeWitt, Hannallah], 569
shared vision for change (ED) [Roizen], 435
undicated; ASA physical status and financial implications (OC) [Vogt, Henson], 437

Thiopental sodium
for induction
vs. etomidate; effect on hemodynamics (OC) [Jellish, Riche, Salord, Ravussin, Tempelhoff], 36

Thoracotomy
for asthmatic patient
bilateral lung collapse during (CR) [Nesbitt, Temeck, Williams], 499

Thrombelastography
in pregnancy
management of postpartum coagulopathy (CR) [Sharma, Vera, Stegall, Whitten], 243
in uremia
perioperative hypercoagulability in; a viscoelastic study (OC) [Pivalizza, Abramson, Harvey], 442

Thyroid surgery
nausea and vomiting
from parathyroid surgery and (OC) [Sonner, Hynson, Clark, Katz], 398
thyroidectomy
postoperative analgesia for
comparison of buprenorphine, bupivacaine, and morphine (OC) [Lacoste, Thomas, Kraimps, Chabin, Ingrand, Barbier, Fusciardi], 189

Tonsillectomy and adenoidectomy
ondansetron dose-response curve in high-risk pediatric patients undergoing (OC) [Lawhorn, Kymer, Stewart, Stoner, Shirey, Volpe], 637

Tourniquet, pneumatic
hypertension induced by, and autonomic nervous system changes as measured by power spectral heart rate analysis (OC) [Tetzlaff, O'Hara Jr., Yoon, Schubert], 138

Trabeculectomy, outpatient
propofol lessens ocular pressure during (OC) [Lauretti, Lauretti, Lauretti-Filho], 289

Trachea, distal rupture of
bronchial intubation for (CR) [Lobato, Risley, III, Stoltzfus], 155

Tracheostomy, postoperative
and Cook airway exchange catheter
use of, obviated need for, in adult patient (CR) [Hartmannsgruber, Loudermilk, Stoltzfus], 496

Tracheotomy
laryngotracheal anesthesia device used as jet ventilation cannula for removal of fragmented intratracheal T-tube (CR) [Brown, Paige], 239

Tramadol
vs. oxycodone; comparison of respiratory effects of (OC) [Tarkkila, Tuominen, Lindgren], 582

Transdermal patch
clonidine, oral-transdermal, low-dose
and postoperative analgesia (OC) [Owen, Fibuch, McQuillan, Millington], 8

Transesophageal echocardiography
and myocardial ischemia
as monitor of in coronary artery bypass grafting (OC) [Hogue, Jr., Davila-Roman], 388

Transfusion
and cardiac transplantation
platelet-rich plasma from organ donor (OC) [Tassani, Otto, Székely, Meiser, Uberfuhr, Pfeiffer, Janicke], 409
hemodilution, intraoperative
cost-effectiveness of (OC) [Rosenblatt, Cantos, Jr., Mohandas], 26

Transplantation
heart
platelet-rich plasma from organ donor (OC) [Tassani, Otto, Székely, Meiser, Uberfuhr, Pfeiffer, Janicke], 409

Trauma patient, acute
compartment syndrome, upper arm
after pressurized infiltration of intravenous crystalloid (CR) [Willsey, Peterfreund], 428

Triazolam
comparison of zolpidem, placebo, and, as hypnotic drugs given the night before surgery (OC) [Morgan, Chapados, Chung, Gauthier, Knox, Le Lorier], 97

U

Ulnar nerve injury
and abdominal surgery; malpractice case and discussion (DD) [Liang, Sunder], 671

Uremia
perioperative hypercoagulability in; a viscoelastic study (OC) [Pivalizza, Abramson, Harvey], 442

V

Vapor monitors, "old"
and measurement of new anesthetics (LE) [Gyermek], 171

Vecuronium
recovery of 50-Hz and 100-Hz posttetanic twitch (OC) [Fernandes, Stout, Silverman, Brull], 48
train-of-four count and kinetic-dynamic modelling (RA) [Shanks], 408

Vein stripping, short saphenous
regional anesthesia
combined popliteal and posterior cutaneous nerve of the thigh block; spinal anesthesia alternative for (OC) [Vloka, Hadzic, Mulcare, Lesser, Koorn, Thys], 618

Venous air embolism
review of pathophysiology, presentation, treatment of (SA) [Palmon, Moore, Lundberg, Toung], 251

Ventilation
circle system
case of artifactual rebreathing (CR) [Schwann, Maguire, Smith], 589
high-frequency oscillatory
in management of lung resection (CR) [Tietjen, Simon, Helfaer], 69
jet
Cook airway exchange catheter
use of, obviated need for postoperative tracheostomy in adult patient (CR) [Hartmannsgruber, Loudermilk, Stoltzfus], 496
emergency transtracheal, in high-grade airway obstruction (LE) [Biro, Moe], 604
positive-pressure
and size 5 laryngeal mask airway (OC) [Brimacombe], 113

Vital signs
hypoxemia and
does significant arterial, alter? (OC) [Thrush, Downs, Hodges, Smith], 355

Vitamin K
and cardiovascular collapse (CC) [Songy, Jr., Layon, Moreb], 514

W

Warming devices
in arthroplasty, knee and total hip
active warming maintains normothermia during combined epidural-general anesthesia (OC) [Berti, Casati, Torri, Aldegheri, Lugani, Fanelli], 482

X

Y

Z

Zolpidem
vs. triazolam, placebo, as hypnotic drugs given the night before surgery (OC) [Morgan, Chapados, Chung, Gauthier, Knox, Le Lorier], 97